



# Light Hardware Supplies Ltd. The Essentials Catalogue

Edition 5.0





## Company Information

Welcome to Light Hardware Supplies Ltd.  
Essentials Catalogue Product Guide  
- Issue 5.0

As a major distributor of fittings and products to the kitchen, joinery, D.I.Y. and hardware trade, we stock in excess of 3000 products. With this guide we aim to bring you info and images on some of the most popular product ranges we have.

Light Hardware Supplies Ltd. is a family run independent company, now celebrating 31 years in business. In this time, we have built up an impressive product range, and we are constantly adding to our component portfolio.

We are committed to sourcing and supplying the trades top quality products at competitive prices. Our product development and sourcing programme is worldwide and we import products from all over the world including, the USA, far East, the UAE, Germany, Italy, Portugal, the UK and many more.

Our utmost priority is to our customer service and we pride ourselves on the fact that we have many customers who we have been doing business with for over 30 years. We supply to customers all over Ireland and the UK.

With our own delivery fleet and drivers, we cover every county in Ireland minimum once per week. We use reliable carriage and pallet companies for our UK deliveries. Our customers are our most important asset and we welcome both advise and direction relating to products and service. Our customer base varies from small to medium sized business to large multi-nationals and we are very proud to say that we have always dealt with our customers with respect and gratitude whatever the size.

We would like to take this opportunity to thank all our customers for their continued support.



Light Hardware Supplies Ltd

## CONTACT DETAILS

**CEMUX**  
LIVE YOUR LIFE



**RODI**  
sinks and ideas

**Quooker**  
THE BOILING-WATER TAP



**TOPFORM**  
Creative Worksurface Solutions



**LIGHT HARDWARE SUPPLIES LTD.**  
E45 F227

**KILKEARY, NENAGH, CO.TIPPERARY**

We are just 3.5 miles from Nenagh and easily located on the Nenagh to Thurles road, 1 mile from the M7 motorway. Take Exit 25 off the M7, then head toward Thurles for 1 mile and we are on the right.

Tel 00353 67 31471  
Fax 00353 67 34448  
web [www.lighthardwaresupplies.ie](http://www.lighthardwaresupplies.ie)

### ORDERING

You can place orders via our sales team or direct to LHS:

Email [sales@lhs.ie](mailto:sales@lhs.ie)  
Fax 00353 67 34448  
Tel 00353 67 31471

Contact our office for contact details of the local sales executive for your area.

### PAYMENT OPTIONS

We can accept payment via the following methods:

- Cheque
- B.A.C.S. Bank transfer
- Credit/Debit card
- Cash
- Credit accounts are available on request



| Items  |           |
|--|-----------|
| HANDLES  | Section A |
| DRAWERS  | Section B |
| STORAGE SOLUTIONS                                | Section C |
| SINKS  | Section D |
| TAPS   | Section E |
| EXTRACTOR RANGE                                  | Section F |
| WORKTOP; TIMBER PRODUCTS &<br>LAQUERS AND PAINTS | Section H |
| LIGHTING & ELECTRICAL                            | Section J |
| GENERAL HARDWARE                                 | Section K |
| GLIDE WARDROBE DOORS & Accessories               | Section L |
| APPLIANCES                                       | Section M |

# SECTION A

## HANDLE SECTION

---



## Decorative hardware

## Handle

**Finesse Bridge Handle**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF85628BN | 128 | 176 |        |

**Finesse Bowed 'D' Handle**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF85760BN | 160 | 171 |        |

**Finesse Strap Handle 128**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF85228BN | 128 | 177 |        |

**Finesse Strap Handle 160**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF85360BN | 160 | 202 |        |

**Finesse Bow Handle**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF85460BN | 160 | 209 |        |

**Finesse Knob & Back plate**

| Code      | Top | Base | Colour |
|-----------|-----|------|--------|
| FF85100BN | 32  | 44   |        |

## Decorative hardware

### Handle



#### Crystal Glass Knob

| Code      | D  | Colour |
|-----------|----|--------|
| FF89030CH | 30 |        |
| FF89035CH | 35 |        |
| FF89040CH | 40 |        |




#### Flat Top Crystal Glass Knob

| Code   | D  | Colour |
|--------|----|--------|
| RM1019 | 40 |        |



#### Queen Anne Knob

| Code    | D  | Colour |
|---------|----|--------|
| M1003PC | 23 |        |
| M1004PC | 28 |        |




#### Verona

| Code    | CC  | L   | Colour |
|---------|-----|-----|--------|
| FF84660 | 160 | 178 | PE     |
| FF84660 | 160 | 178 | AN     |



#### Bologna

| Code    | CC  | L   | Colour |
|---------|-----|-----|--------|
| FF84328 | 128 | 180 | PE     |
| FF84328 | 128 | 180 | AN     |



#### Roma

| Code    | CC  | L   | Colour |
|---------|-----|-----|--------|
| FF84260 | 160 | 192 | PE     |
| FF84260 | 160 | 192 | AN     |


## Decorative hardware

### Handle



#### Milano

| Code    | CC  | L   | Colour |
|---------|-----|-----|--------|
| FF84560 | 160 | 192 | PE     |
| FF84560 | 160 | 192 | AN     |




#### Torino

| Code    | CC  | L   | Colour |
|---------|-----|-----|--------|
| FF84460 | 160 | 192 | PE     |
| FF84460 | 160 | 192 | AN     |




#### Italia Knob

| Code    | CC | L  | Colour |
|---------|----|----|--------|
| FF84100 | -  | 38 | PE     |
| FF84100 | -  | 38 | AN     |



#### Titan D 162mm

| Code    | CC | L  | Colour |
|---------|----|----|--------|
| FF72296 | 96 | 62 | PE     |
| FF72296 | 96 | 62 | AN     |
| FF72296 | 96 | 62 | BK     |



#### Titan D 130mm

| Code    | CC | L   | Colour |
|---------|----|-----|--------|
| FF72264 | 64 | 130 | PE     |
| FF72264 | 64 | 130 | AN     |
| FF72264 | 64 | 130 | BK     |



#### Titan Latch

| Code    | CC | L   | Colour |
|---------|----|-----|--------|
| FF72664 | 64 | 130 | PE     |
| FF72664 | 64 | 130 | AN     |
| FF72664 | 64 | 130 | BK     |

## Decorative hardware

### Handle



#### Granite D

| Code      | CC | L   | Colour |
|-----------|----|-----|--------|
| GRDHANDLE | 96 | 128 | BB     |
| GRDHANDLE | 96 | 128 | BLK    |
| GRDHANDLE | 96 | 128 | SGAL   |
| GRDHANDLE | 96 | 128 | TBRN   |



#### Granite T

| Code      | CC | L  | Colour |
|-----------|----|----|--------|
| GRTHANDLE | -  | 55 | BB     |
| GRTHANDLE | -  | 55 | BLK    |
| GRTHANDLE | -  | 55 | SGAL   |
| GRTHANDLE | -  | 55 | TBRN   |



#### Granite Drop

| Code   | CC  | L   | Colour |
|--------|-----|-----|--------|
| GRDROP | 160 | 188 | BB     |
| GRDROP | 160 | 188 | BLK    |
| GRDROP | 160 | 188 | SGAL   |
| GRDROP | 160 | 188 | TBRN   |



#### Granite Knob

| Code       | D  | L | Colour |
|------------|----|---|--------|
| GR45MMKNOB | 45 | - | BB     |
| GR45MMKNOB | 45 | - | BLK    |
| GR45MMKNOB | 45 | - | SGAL   |
| GR45MMKNOB | 45 | - | TBRN   |

### Available in:



Baltic Brown (BB)



Black Granite (BLK)



Star Galaxy (SGAL)



Tan Brown (TBRN)

## Decorative hardware

## Handle



## Winchester D

| Code    | CC  | L   | Colour |
|---------|-----|-----|--------|
| FF86328 | 128 | 152 | ANTCR  |
| FF86328 | 128 | 152 | PEWWH  |



## Winchester Knob

| Code    | CC | L  | Colour |
|---------|----|----|--------|
| FF86200 | -  | 35 | ANTCR  |
| FF86200 | -  | 35 | PEWWH  |



## Winchester Drop

| Code    | CC  | L   | Colour |
|---------|-----|-----|--------|
| FF86060 | 160 | 186 | ANTCR  |
| FF86060 | 160 | 186 | PEWWH  |



## Winchester T

| Code    | CC | L  | Colour |
|---------|----|----|--------|
| FF86100 | -  | 75 | ANTCR  |
| FF86100 | -  | 75 | PEWWH  |



## Reeded Iron D

| Code       | CC  | L | Colour |
|------------|-----|---|--------|
| REEDHANDLE | 128 | - | BK     |
| REEDHANDLE | 128 | - | BZ     |
| REEDHANDLE | 128 | - | PR     |



## Reeded knob

| Code     | CC | L | Colour |
|----------|----|---|--------|
| REEDKNOB | -  | - | BK     |
| REEDKNOB | -  | - | BZ     |
| REEDKNOB | -  | - | PR     |

## Decorative hardware

### Handle



#### Block T Bar

| Code            | CC | L | Colour |
|-----------------|----|---|--------|
| BLOCKHANDLE 173 | -  | - | NL     |
| BLOCKHANDLE 225 | -  | - | NL     |
| BLOCKHANDLE 325 | -  | - | NL     |
| BLOCKHANDLE 375 | -  | - | NL     |
| BLOCKHANDLE 425 | -  | - | NL     |
| BLOCKHANDLE 500 | -  | - | NL     |
| BLOCKHANDLE 525 | -  | - | NL     |
| BLOCKHANDLE 645 | -  | - | NL     |
| BLOCKHANDLE 725 | -  | - | NL     |
| BLOCKHANDLE 825 | -  | - | NL     |
| BLOCKHANDLE 925 | -  | - | NL     |



#### T-Bar

| Code       | CC | L   | Colour |
|------------|----|-----|--------|
| BGTBAR 128 | -  | 180 | NL     |
| BGTBAR 160 | -  | 210 | NL     |
| BGTBAR 256 | -  | 305 | NL     |
| BGTBAR 306 | -  | 375 | NL     |
| BGTBAR 356 | -  | 426 | NL     |
| BGTBAR 430 | -  | 500 | NL     |
| BGTBAR 456 | -  | 526 | NL     |
| BGTBAR 575 | -  | 645 | NL     |
| BGTBAR 128 | -  | 200 | BK     |
| BGTBAR 160 | -  | 220 | BK     |
| BGTBAR 224 | -  | 304 | BK     |



#### BG Boss D Handle

| Code            | CC | L | Colour |
|-----------------|----|---|--------|
| BOSSDHANDLE 225 | -  | - | NL     |
| BOSSDHANDLE 325 | -  | - | NL     |
| BOSSDHANDLE 525 | -  | - | NL     |
| BOSSDHANDLE 645 | -  | - | NL     |



#### 5891 D

| Code | CC  | L | Colour |
|------|-----|---|--------|
| 5891 | 128 | - | NL     |
| 5891 | 128 | - | BK     |
| 5891 | 128 | - | BZ     |



## Decorative hardware

### Handle



#### Steel screw top

| Code                | CC  |
|---------------------|-----|
| STEELSCREWHANDLE103 | 128 |



#### K1400 D Handle

| Code            | L   | Colour |
|-----------------|-----|--------|
| K1400DHANDLE502 | 205 | NL     |



#### Flat D

| Code    | CC  | L | Colour |
|---------|-----|---|--------|
| U645224 | 160 | - | NL     |



#### Curved Flat

| Code    | CC  | L | Colour |
|---------|-----|---|--------|
| U641158 | 128 | - | NL     |

## Decorative hardware

### Handle



#### Bow Handle

| Code      | CC  | L | Colour |
|-----------|-----|---|--------|
| BOWHANDLE | 128 | - | CR     |
| BOWHANDLE | 160 | - | CR     |
| BOWHANDLE | 192 | - | CR     |
| BOWHANDLE | 220 | - | CR     |
| BOWHANDLE | 320 | - | CR     |
| BOWHANDLE | 128 | - | BK     |
| BOWHANDLE | 160 | - | BK     |



#### Pewter Diamond D 7372

| Code            | CC  | Colour |
|-----------------|-----|--------|
| 7372DIAMOND1675 | 128 | PR     |



#### Pewter Diamond Knob 8841

| Code            | D  | Colour |
|-----------------|----|--------|
| 8841DIAMOND1676 | 40 | PR     |



#### Spear D

| Code       | CC | L | Colour |
|------------|----|---|--------|
| SY91721610 | 96 | - | BK     |

## Decorative hardware

## Handle



## Traditional Hooded Pull

| Code       | CC | L  | Colour |
|------------|----|----|--------|
| TRADHOOD   | -  | 65 | PR     |
| TRADHOODBR | -  | 65 | BZ     |



## Latch Pull

| Code        | CC | L | Colour |
|-------------|----|---|--------|
| JOULIOLATCH | 65 | - | BK     |
| JOULIOLATCH | 65 | - | BZ     |



## Drawer Pull

| Code     | CC | L | Colour |
|----------|----|---|--------|
| JOULIODR | 96 | - | BK     |
| JOULIODR | 96 | - | BZ     |



## Large and Small Knob and Backplate

| Code      | Colour | Remark |
|-----------|--------|--------|
| JOULIOHDL | BK     | Small  |
| JOULIOHDL | BZ     | Small  |
| JOULIOHDL | BK     | Large  |
| JOULIOHDL | BZ     | Large  |



## SISO D

| Code | CC  | L | Colour |
|------|-----|---|--------|
| SISO | 128 | - | BK     |
| SISO | 128 | - | CR     |



## Thumb Latch

| Code       | CC | L | Colour |
|------------|----|---|--------|
| THUMBLATCH | 64 | - | BK     |
| THUMBLATCH | 64 | - | BZ     |
| THUMBLATCH | 64 | - | PR     |

## Decorative hardware

### Handle



#### Bow Drawer

| Code         | CC | L | Colour |
|--------------|----|---|--------|
| DRAWERBOW 96 | 96 | - | BK     |
| DRAWERBOW 96 | 96 | - | BZ     |
| DRAWERBOW 96 | 96 | - | PR     |



#### Latch Pull Designed

| Code           | CC | Colour |
|----------------|----|--------|
| BLKPHANDLE1088 | 64 | Black  |
| BRZLATPULL1500 | 64 | Bronze |



#### Drawer Pull Designed

| Code            | CC | Colour |
|-----------------|----|--------|
| BLKDHANDLE1087  | 64 | Black  |
| BRZDRAWPULL1501 | 62 | Bronze |



#### Hammered Steel D Handle

| Code      | CC  | L | Colour |
|-----------|-----|---|--------|
| HAMSTEELD | 128 | - | PR     |
| HAMSTEELD | 128 | - | BZ     |



#### Hammered Steel Knob

| Code         | D  | Colour |
|--------------|----|--------|
| HAMSTEELKNOB | 40 | PR     |
| HAMSTEELKNOB | 40 | BZ     |

## Decorative hardware

### Handle



#### Hooded Pull

| Code   | CC | L | Colour |
|--------|----|---|--------|
| HOODED | 96 | - | PR     |
| HOODED | 96 | - | BZ     |



#### Fat D Handle

| Code  | CC  | L | Colour |
|-------|-----|---|--------|
| FAT D | 128 | - | CR     |
| FAT D | 128 | - | BK     |
| FAT D | 128 | - | BZ     |



#### Teflon 756 Knob

| Code          | D  | Colour |
|---------------|----|--------|
| TEFLON7561485 | 40 | CR     |



#### Square A Handle

| Code    | CC  | L | Colour |
|---------|-----|---|--------|
| SQUAREA | 160 | - | CR     |
| SQUAREA | 320 | - | CR     |



#### Knob Fat

| Code         | D  | Colour |
|--------------|----|--------|
| NICKELKNOBNL | 40 | NL     |
| NICKELKNOBBL | 40 | BL     |
| NICKELKNOBBZ | 40 | BZ     |
| NICKELKNOBCR | 40 | CR     |



#### Dimpled Flat Handle

| Code        | CC  | L | Colour |
|-------------|-----|---|--------|
| DIMPLEDFLAT | 128 | - | CR     |

## Decorative hardware

### Windsor range



**Windsor knob**

| Code      | CC | D. | Colour |
|-----------|----|----|--------|
| FF11300CH | -  | 38 | CH     |



**Windsor knob**

| Code      | CC | L  | Colour |
|-----------|----|----|--------|
| FF11300BN | -  | 38 | BN     |



**Windsor Cup**

| Code      | CC | L  | Colour |
|-----------|----|----|--------|
| FF11364CH | 64 | 97 | CH     |



**Windsor Cup**

| Code      | CC | L  | Colour |
|-----------|----|----|--------|
| FF11364BN | 64 | 97 | BN     |



**Windsor Latch**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF11528CH | 128 | 172 | CH     |



**Windsor Latch**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF11528BN | 128 | 172 | BN     |

## Decorative hardware

### Westminster Range



**Square Knob**

| Code      | CC | L  | Colour |
|-----------|----|----|--------|
| FF11000PE | -  | 31 | PE     |



**Square Knob**

| Code      | CC | L  | Colour |
|-----------|----|----|--------|
| FF11000AN | -  | 31 | AN     |



**D Handle**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF11128PE | 128 | 168 | PE     |



**D Handle**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF11128AN | 128 | 168 | AN     |



**D Handle**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF11160PE | 160 | 199 | PE     |



**D Handle**

| Code      | CC  | L   | Colour |
|-----------|-----|-----|--------|
| FF11160AN | 160 | 199 | AN     |

## Decorative hardware

### Handle



#### Milano

| Code       | CC  | L | Colour |
|------------|-----|---|--------|
| DIMPLEDSQD | 128 | - | CR     |



#### Dimpled Knob

| Code        | D  | Colour |
|-------------|----|--------|
| DIMPLEDKNOB | 40 | CR     |



#### Luxury Polished Chrome handle

| Code   | CC  | L | Colour |
|--------|-----|---|--------|
| MTNLUX | 320 | - |        |



#### Oval knob

| Code            | L  | Colour |
|-----------------|----|--------|
| OVALKNOBBRUSHED | 62 |        |



#### Brushed Satin Nickel Handle

| Code     | CC  | L | Colour |
|----------|-----|---|--------|
| MTNBH320 | 320 | - |        |



#### Berkley D Handle

| Code     | CC  | L | Colour |
|----------|-----|---|--------|
| MTNBERKD | 128 | - |        |



## Decorative hardware

### Handle



### Berkley Pull Handle

| Code        | CC | L | Colour |
|-------------|----|---|--------|
| MTNBERKPULL | 96 | - |        |

# SECTION B DRAWER & RUNNERS SECTION




www.lga.info  
ID 1111227769

CEMUX

CEMUX

## CETECH-MOVE

The excellent benefits



\*100,000 cycles with 40kg loading tested regarding to standard: EN 15338 and BS6222-2:2009 + A1:2017 Test level H (cutlery drawer)

## “Flexible drawer system to meet any requirements”

Drawer range offers flexibility, function and aesthetics with an outstanding running system..



### Legend

|    |                        |    |               |     |                            |     |                       |
|----|------------------------|----|---------------|-----|----------------------------|-----|-----------------------|
| LW | Internal cabinet width | L  | Length        | SKL | Length of drawer           | X   | Thickness of door     |
| NL | Nominal length         | KB | Cabinet width | LT  | Minimum installation depth | FEC | Front edge of cabinet |





## A box

### Contempo drawer side H84 - A3201



- Contempo wall
- Soft-close
- Full extension
- 84 mm drawer height
- $\pm 2$ mm up & down adjustment;
- $\pm 1.5$ mm left & right adjustment
- Length from 270-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40kg




| Components  | NL  | White | Grey       | Package |
|---|-----|-------|------------|---------|
|  | 270 | -     | A3201-270G | 6 sets  |
|   | 300 | -     | A3201-300G | 6 sets  |
|   | 350 | -     | A3201-350G | 6 sets  |
|   | 400 | -     | A3201-400G | 6 sets  |
|   | 450 | -     | A3201-450G | 6 sets  |
|   | 500 | -     | A3201-500G | 6 sets  |
|   | 550 | -     | -          | 6 sets  |

## A box

### Contempo drawer side with square rail H199 - A3204



- Contempo wall
- Soft-close
- Full extension
- 199 mm drawer height
- $\pm 2$ mm up & down adjustment;
- $\pm 1.5$ mm left & right adjustment
- Length from 270-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40kg



| Components  | NL  | White | Grey       | Package |
|---|-----|-------|------------|---------|
|  | 270 | -     | -          | 6 sets  |
|   | 300 | -     | -          | 6 sets  |
|   | 350 | -     | -          | 6 sets  |
|   | 400 | -     | -          | 6 sets  |
|   | 450 | -     | A3204-450G | 6 sets  |
|   | 500 | -     | A3204-500G | 6 sets  |
|   | 550 | -     | -          | 6 sets  |

A box


Contempo drawer side with glass panel H199 - A3244



B




- Contempo wall
- Soft-close
- Full extension
- 199 mm drawer height
- ±2mm up & down adjustment;
- ±1.5mm left & right adjustment
- Length from 350-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40kg



| Components | NL  | Frosted |             | Package |
|------------|-----|---------|-------------|---------|
|            |     | White   | Grey        |         |
|            | 270 | -       | -           | -       |
|            | 300 | -       | -           | -       |
|            | 350 | -       | -           | 6 sets  |
|            | 400 | -       | -           | 6 sets  |
|            | 450 | -       | A3244-450GF | 6 sets  |
|            | 500 | -       | A3244-500GF | 6 sets  |
|            | 550 | -       | -           | 6 sets  |


## A box

Inset drawer accessories for H84




### Order information

1. Front panel - normal aluminum  
\* DIY cut : Length = LW-90



| L    | White | Grey      |
|------|-------|-----------|
| 1200 | -     | AL321200G |


2. Inset drawer front bracket left/right  
(for inset drawer H84)



|  | White | Grey      |
|--|-------|-----------|
|  | -     | AH320101G |

## A box

Inset drawer accessories for H199



### Order information

1. Front panel - normal aluminum  
\* DIY cut : Length = LW-90



| L    | White | Grey      |
|------|-------|-----------|
| 1200 | -     | AL321200G |

2. Inset drawer front bracket left/right  
(for inset drawer H199 with square rail)



|  | White | Grey      |
|--|-------|-----------|
|  | -     | AF320401G |

3. Front square rail  
\* DIY cut : Length = LW-92




| L    | White | Grey      |
|------|-------|-----------|
| 1200 | -     | HF321200G |


## H box

### Drawer H84 - H1301



- Slim wall
- Soft-close
- Full extension
- 84 mm drawer height
- $\pm 2$ mm up & down adjustment;
- $\pm 1.5$ mm left & right adjustment
- Length from 270-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG




| Components  | NL  | White      | Grey       | Package |
|---|-----|------------|------------|---------|
|  | 270 | -          | H1301-270G | 6 sets  |
|   | 300 | -          | H1301-300G | 6 sets  |
|   | 350 | -          | H1301-350G | 6 sets  |
|   | 400 | -          | H1301-400G | 6 sets  |
|   | 450 | H1301-450W | H1301-450G | 6 sets  |
|   | 500 | H1301-500W | H1301-500G | 6 sets  |
|   | 550 | -          | -          | 6 sets  |

## H box

### Drawer H167 - H1303



- Slim wall
- Soft-close
- Full extension
- 167 mm drawer height
- $\pm 2$ mm up & down adjustment;
- $\pm 1.5$ mm left & right adjustment
- Length from 270-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG




| Components  | NL  | White | Grey       | Package |
|---|-----|-------|------------|---------|
|  | 270 | -     | -          | 5 sets  |
|   | 300 | -     | -          | 5 sets  |
|   | 350 | -     | H1303-350G | 5 sets  |
|   | 400 | -     | H1303-400G | 5 sets  |
|   | 450 | -     | H1303-450G | 5 sets  |
|   | 500 | -     | H1303-500G | 5 sets  |
|   | 550 | -     | -          | 5 sets  |

## H box

Drawer H199 - H1304



- Slim wall
- Soft-close
- Full extension
- 199 mm drawer height
- $\pm 2$ mm up & down adjustment;
- $\pm 1.5$ mm left & right adjustment
- Length from 270-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG




| Components | NL  | White      | Grey       | Package |
|------------|-----|------------|------------|---------|
|            | 270 | -          | -          | 4 sets  |
|            | 300 | -          | -          | 4 sets  |
|            | 350 | -          | -          | 4 sets  |
|            | 400 | -          | H1304-400G | 4 sets  |
|            | 450 | -          | H1304-450G | 4 sets  |
|            | 500 | H1304-500W | H1304-500G | 4 sets  |
|            | 550 | -          | -          | 4 sets  |

## H box

Drawer glass side H84 - H1311



- Slim glass wall
- Soft-close
- Full extension
- 84 mm drawer height
- $\pm 2$ mm up & down adjustment;
- $\pm 1.5$ mm left & right adjustment
- Length from 350-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG



| Components | NL  | White | Grey       | Package |
|------------|-----|-------|------------|---------|
|            | 270 | -     | -          | 6 sets  |
|            | 300 | -     | -          | 6 sets  |
|            | 350 | -     | -          | 6 sets  |
|            | 400 | -     | -          | 6 sets  |
|            | 450 | -     | H1311-450G | 6 sets  |
|            | 500 | -     | H1311-500G | 6 sets  |
|            | 550 | -     | -          | 6 sets  |





## H box

Drawer glass side H167 - H1313



- Slim glass wall
- Soft-close
- Full extension
- 167 mm drawer height
- $\pm 2$ mm up & down adjustment;
- $\pm 1.5$ mm left & right adjustment
- Length from 350-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG




| Components  | NL  | White | Grey       | Package |
|---|-----|-------|------------|---------|
|  | 270 | -     | -          | 6 sets  |
|   | 300 | -     | -          | 6 sets  |
|   | 350 | -     | -          | 6 sets  |
|   | 400 | -     | -          | 6 sets  |
|   | 450 | -     | H1313-450G | 6 sets  |
|   | 500 | -     | H1313-500G | 6 sets  |
|   | 550 | -     | -          | 6 sets  |

## H box

Drawer glass side H199 - H1314




- Slim glass wall
- Soft-close
- Full extension
- 199 mm drawer height
- $\pm 2$ mm up & down adjustment;
- $\pm 1.5$ mm left & right adjustment
- Length from 350-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG



| Components  | NL  | White | Grey       | Package |
|---|-----|-------|------------|---------|
|  | 270 | -     | -          | 6 sets  |
|   | 300 | -     | -          | 6 sets  |
|   | 350 | -     | -          | 6 sets  |
|   | 400 | -     | -          | 6 sets  |
|   | 450 | -     | H1314-450G | 6 sets  |
|   | 500 | -     | H1314-500G | 6 sets  |
|   | 550 | -     | -          | 6 sets  |


## H box

Inset drawer accessories for H84



### Order information

1. Front panel - normal aluminum  
\* DIY cut : Length = LW-100



| L    | White | Grey      |
|------|-------|-----------|
| 1200 | -     | H1321200G |


2. Inset drawer front bracket left/right



|  | White | Grey     |
|--|-------|----------|
|  | -     | H130200G |


## H box

Inset drawer - Front panel and H54 glass for drawer H84



### Order information

1. Front panel - low aluminum  
\* DIY cut : Length = LW-100



| L    | White | Grey      |
|------|-------|-----------|
| 1200 | -     | H1331200G |

2. Inset drawer front bracket left/right



|  | White | Grey     |
|--|-------|----------|
|  | -     | H131200G |


3. Front H54 glass panel



| KB  | Frosted   | Transparent |
|-----|-----------|-------------|
| 600 | H1410476F | -           |
| 800 | H1410676F | -           |
| 900 | H1410776F | -           |

## H box

Inset drawer - Front panel and rail for drawer H167



### Order information

1. Front panel - normal aluminum  
\* DIY cut : Length = LW-100



| L    | White | Grey      |
|------|-------|-----------|
| 1200 | -     | H1321200G |

2. Inset drawer front bracket left/right



|  | White | Grey     |
|--|-------|----------|
|  | -     | H130500G |


3. Front square rail  
\* DIY cut : Length = LW-88



| L    | White | Grey      |
|------|-------|-----------|
| 1200 | -     | HF321200G |


## H box

Inset drawer - Front panel and rail for drawer H199



### Order information

1. Front panel - normal aluminum  
\* DIY cut : Length = LW-100



| L    | White | Grey      |
|------|-------|-----------|
| 1200 | -     | H1321200G |

2. Inset drawer front bracket left/right



|  | White | Grey     |
|--|-------|----------|
|  | -     | H130800G |


3. Front square rail  
\* DIY cut : Length = LW-88



| L    | White | Grey      |
|------|-------|-----------|
| 1200 | -     | HF321200G |


## H box

Inset drawer - Front panel and H102 glass for drawer glass side H199



### Order information

1. Front panel - low aluminum  
\* DIY cut : Length = LW-100




| L    | White | Grey      |
|------|-------|-----------|
| 1200 | -     | H1331200G |

2. Inset drawer front bracket left/right



|  | White | Grey     |
|--|-------|----------|
|  | -     | H130600G |

3. Front H102 glass panel



| KB  | Frosted   | Transparent |
|-----|-----------|-------------|
| 600 | H1390476F | -           |
| 800 | H1390676F | -           |
| 900 | H1390776F | -           |

## R drawer slide - R113 (Synchronised motion)

Soft-close & push-open; Full extension; 3-D adjustment; 16mm drawer

B



- Soft-close & push-open
- Full extension
- Galvanized sheet
- Loading capacity is 25 KG
- Length from 350-700mm
- 1-3mm height adjustment
- $\pm 2$ mm right/left adjustment
- 1-5mm depth adjustment on slide

### Order information

| NL  | Item No. | Package | Remark   |
|-----|----------|---------|--|
| 350 | R113-350 | 6 sets  | Package includes<br>A. Left & right drawer slide<br>B. Locking devices |
| 400 | R113-400 | 6 sets  |  |
| 450 | R113-450 | 6 sets  |  |
| 500 | R113-500 | 6 sets  |  |
| 550 | R113-550 | 6 sets  |  |
| 600 | R113-600 | 6 sets  |  |
| 650 | R113-650 | 6 sets  |  |
| 700 | R113-700 | 6 sets  |  |

\* For 18mm drawer, please contact us for more information

### Optional accessories

#### Stabilisation set

For cutting to size



| L   | Item No. | Package | Remark |
|-----|----------|---------|--------|
| 600 | R1130600 | 6 sets  |        |

For drawer width  $\geq 1200$ mm, please choose this synchronisation rail

## R drawer slide - R213 (Synchronised motion)

Soft-close; Full extension; 3-D adjustment; 16mm drawer



- Soft-close
- Full extension
- Galvanized sheet
- Loading capacity is 25 KG
- Length from 250-700mm
- 1-3mm height adjustment
- ±2mm right/left adjustment
- 1-5mm depth adjustment on slide

### Order information

| NL  | Item No. | Package | Remark   |
|-----|----------|---------|--|
| 250 | R213-250 | 10 sets | Package includes<br>A. Left & right drawer slide<br>B. Locking devices |
| 300 | R213-300 | 10 sets |  |
| 350 | R213-350 | 10 sets |  |
| 400 | R213-400 | 10 sets |  |
| 450 | R213-450 | 10 sets |  |
| 500 | R213-500 | 10 sets |  |
| 550 | R213-550 | 10 sets |  |
| 600 | R213-600 | 10 sets |  |
| 650 | R213-650 | 10 sets |  |
| 700 | R213-700 | 10 sets |  |

\* For 18mm drawer, please contact us for more information

## R drawer slide - R312 (Synchronised motion)

Push-open; Full extension; 2-D adjustment; 16mm drawer



- Push-open
- Full extension
- Galvanized sheet
- Loading capacity is 25 KG
- Length from 250-700mm
- 1-3mm height adjustment
- ±2mm right/left adjustment

### Order information

| NL  | Item No. | Package | Remark   |
|-----|----------|---------|--|
| 250 | R312-250 | 10 sets | Package includes<br>A. Left & right drawer slide<br>B. Locking devices |
| 300 | R312-300 | 10 sets |  |
| 350 | R312-350 | 10 sets |  |
| 400 | R312-400 | 10 sets |  |
| 450 | R312-450 | 10 sets |  |
| 500 | R312-500 | 10 sets |  |
| 550 | R312-550 | 10 sets |  |
| 600 | R312-600 | 10 sets |  |
| 650 | R312-650 | 10 sets |  |
| 700 | R312-700 | 10 sets |  |

\* For 18mm drawer, please contact us for more information

## BB drawer slide - BB01

45mm; Full extension; Soft-close & push-open



- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-750mm
- Material thickness: 1.5x1.2x1.2mm

| NL  | Item No. | Package | Remark  |
|-----|----------|---------|---|
| 250 | BB01-250 | 15 sets | Package includes<br>* Left & right drawer slide |
| 300 | BB01-300 | 15 sets |   |
| 350 | BB01-350 | 15 sets |   |
| 400 | BB01-400 | 15 sets |   |
| 450 | BB01-450 | 15 sets |   |
| 500 | BB01-500 | 15 sets |   |
| 550 | BB01-550 | 15 sets |   |
| 600 | BB01-600 | 15 sets |   |
| 650 | BB01-650 | 15 sets |   |
| 700 | BB01-700 | 15 sets |   |
| 750 | BB01-750 | 15 sets |   |

## BB drawer slide - BB02

45mm; Full extension; Soft-close



- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-700mm
- Material thickness: 1.5x1.2x1.2mm

| NL  | Item No. | Package | Remark  |
|-----|----------|---------|---|
| 250 | BB02-250 | 15 sets | Package includes<br>* Left & right drawer slide |
| 300 | BB02-300 | 15 sets |   |
| 350 | BB02-350 | 15 sets |   |
| 400 | BB02-400 | 15 sets |   |
| 450 | BB02-450 | 15 sets |   |
| 500 | BB02-500 | 15 sets |   |
| 550 | BB02-550 | 15 sets |   |
| 600 | BB02-600 | 15 sets |   |
| 650 | BB02-650 | 15 sets |   |
| 700 | BB02-700 | 15 sets |   |

## BB drawer slide - BB03

45mm; Full extension; Push-open



- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-750mm
- Material thickness: 1.5x1.2x1.2mm

| NL  | Item No. | Package | Remark  |
|-----|----------|---------|---|
| 250 | BB03-250 | 15 sets | Package includes<br>* Left & right drawer slide |
| 300 | BB03-300 | 15 sets |   |
| 350 | BB03-350 | 15 sets |   |
| 400 | BB03-400 | 15 sets |   |
| 450 | BB03-450 | 15 sets |   |
| 500 | BB03-500 | 15 sets |   |
| 550 | BB03-550 | 15 sets |   |
| 600 | BB03-600 | 15 sets |   |
| 650 | BB03-650 | 15 sets |   |
| 700 | BB03-700 | 15 sets |   |

## BB drawer slide - BB04

45mm; Full extension;



- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-750mm
- Material thickness: 1.5x1.2x1.2mm

| NL  | Item No. | Package | Remark  |
|-----|----------|---------|---|
| 250 | BB04-250 | 15 sets | Package includes<br>* Left & right drawer slide |
| 300 | BB04-300 | 15 sets |   |
| 350 | BB04-350 | 15 sets |   |
| 400 | BB04-400 | 15 sets |   |
| 450 | BB04-450 | 15 sets |   |
| 500 | BB04-500 | 15 sets |   |
| 550 | BB04-550 | 15 sets |   |
| 600 | BB04-600 | 15 sets |   |
| 650 | BB04-650 | 15 sets |   |
| 700 | BB04-700 | 15 sets |   |

## Bottom mount single extension runners

25KG; epoxy powder coated



| NL  | Item No.        | Remark  |
|-----|-----------------|---|
| 250 | DRAWERRUNCH1917 | Package includes<br>* Left & right drawer slide |
| 300 | DRAWERRUNCH1918 |   |
| 350 | DRAWERRUNCH1919 |   |
| 400 | DRAWERRUNCH1920 |   |
| 450 | DRAWERRUNCH1921 |   |
| 500 | DRAWERRUNCH1922 |   |
| 550 | DRAWERRUNCH1923 |   |
| 600 | DRAWERRUNCH1924 |   |

## Meta box

25KG; bottom mount; single extension



| NL  | Item No.        | Remark       |
|-----|-----------------|--------------|
| 450 | DRAWERRUNCH1917 | 86mm height  |
| 450 | DRAWERRUNCH1918 | 118mm height |
| 450 | DRAWERRUNCH1919 | 150mm height |
| 500 | DRAWERRUNCH1920 | 150mm height |

## Plastic cutlery inserts

Injection molded top quality plastic inserts



| KB   | Item No.     |
|------|--------------|
| 300  | ECTANCUT300  |
| 400  | ECTANCUT400  |
| 450  | ECTANCUT450  |
| 500  | ECTANCUT500  |
| 600  | ECTANCUT600  |
| 800  | ECTANCUT800  |
| 900  | ECTANCUT900  |
| 1000 | ECTANCUT1000 |

## Beech peg board

Can be cut to any size.



| NL   | Item No.       | Remark                       |
|------|----------------|------------------------------|
| 800  | BEECHBOARD1606 | Each set includes<br>14 pegs |
| 900  | BEECHBOARD1604 |                              |
| 1000 | BEECHBOARD1605 |                              |



## Exclusive Dovetail Drawer Range

- Expertly machined dovetail drawers available in Oak , Beech & Walnut.
- Dovetailed joints on all 4 corners.
- Available in both standard and inframe sizes.


B



Standard Drawer  
in Oak.



Rebated Drawer  
in Beech.



Detail of Beech  
drawer showing machined  
cutouts for drawer runners.



Shaped Drawer  
in Oak.


## L bins system

Waste bin system

### Item no. MWBD40035G




- For cabinet 400mm width drawer
- For cabinet 500mm depth drawer
- 1 plastic waste bins - 35L
- Grey colour
- 570mm height
- 362-368mm width
- 506mm depth



### Item no. MWBD45054G




- For cabinet 450mm width drawer
- For cabinet 500mm depth drawer
- 2 plastic waste bins - 27Lx2
- Grey colour
- 570mm height
- 412-418mm width
- 506mm depth



### Item no. MWBD60070G



- For cabinet 600mm width drawer
- For cabinet 500mm depth drawer
- 2 plastic waste bins - 35Lx2
- Grey colour
- 570mm height
- 562-568mm width
- 506mm depth




\* Above bins require a 500mm deep A box or H box drawer

### Item no. MWBB40040SG



- For cabinet 400mm width
- For cabinet 495mm internal depth drawer
- 2 plastic waste bins - 20Lx2
- Grey colour
- 430mm height
- 342mm width
- 490mm depth



## L bins system

Laundry bin system

B

Item no. MWBN40014G




- For cabinet 400mm width
- 1 plastic waste bins - 14L
- Chrome polish
- 320mm height
- 360mm width
- 320mm depth



Item no. MLBD45048W




- For cabinet 450mm width drawer
- For cabinet 500mm depth drawer
- 1 plastic waste bins - 48L
- White colour
- 545mm height
- 412-418mm width
- 506mm depth



Item no. MLBD60070W



- For cabinet 600mm width drawer
- For cabinet 500mm depth drawer
- 2 plastic waste bins - 35Lx2
- White & blue colour
- 570mm height
- 562-568mm width
- 506mm depth



\* Above laundry bins require a 500mm deep A box or H box drawer

## Waste bin system

SIGE bins

### Item no. SIGE400EURO



- For cabinet 400mm width
- 2 plastic waste bins - 20LX2
- Integrated lid
- Soft-close full extension undermounted runners

### Item no. SIGE450EURO



- For cabinet 450mm width
- 2 plastic waste bins - 35LX2
- Integrated lid
- Soft-close full extension undermounted runners

### Item no. SIGE500EURO



- For cabinet 500mm width
- 2 plastic waste bins - 35LX2
- Integrated lid
- Soft-close full extension undermounted runners

### Item no. SIGE600EURO



- For cabinet 600mm width
- 4 plastic waste bins - 25LX2; 17LX2
- Integrated lid
- Soft-close full extension undermounted runners

## Waste bin system

Under sink bins

B

Item no. ECBIN18



- For cabinet 450mm width
- 2 plastic waste bins - 15LX2
- Option of independent or door mounting
- Soft closing full extension heavy duty runners
- 490mm depth
- 313mm height

# SECTION C

## KITCHEN STORAGE SECTION

---






## Basket unit

Pull-out basket




- Cabinet width: 600mm; 700mm; 750mm; 800mm; 900mm
- Installed height:  $\geq 650$  mm
- Installed depth:  $\geq 550$  mm
- Package: 1 set
- Including:
  - 1 pc basket
  - 1 set slides
  - 1 set slide connectors
  - 1 set door connectors
  - 1 set cover caps



C

## Components



## Order information


| KB  | Product dimensions | Description | Item No.  |
|-----|--------------------|-------------|-----------|
| 600 | 529*451.5*128mm    | Soft-close  | SBP01600G |
| 800 | 729*451.5*128mm    | Soft-close  | SBP01800G |
| 900 | 829*451.5*128mm    | Soft-close  | SBP01900G |

## Base unit


### Side slim pull-out basket



- Cabinet width: 150mm; 200mm
- Installed height:  $\geq 650$  mm
- Installed depth:  $\geq 500$  mm
- Package: 1 set
- Including:
  - 1 set basket with frame
  - 1 set slides



### Components



### Order information

| KB  | Product dimensions | Description                         | Item No.   |
|-----|--------------------|-------------------------------------|------------|
| 150 | 95*455*543mm       | Left hand side mounted; soft-close  | SBP03150GL |
| 150 | 95*455*543mm       | Right hand side mounted; soft-close | SBP03150GR |




## Base unit

### Two tier storage basket



- Cabinet width: 300mm; 400mm
- Installed height:  $\geq 650$  mm
- Installed depth:  $\geq 500$  mm
- Package: 1 set
- Including:
  - 1 set basket with frame
  - 1 set slides



C



### Order information


| KB  | Product dimensions | Description                 | Item No.  |
|-----|--------------------|-----------------------------|-----------|
| 300 | 243*473*502mm      | Slide on the bottom mounted | SBP03300G |
| 400 | 343*473*502mm      | Slide on the bottom mounted | SBP03400G |

# Base unit


Side pull-out basket



- Cabinet width: 200mm; 300mm
- Installed height: ≥650 mm
- Installed depth: ≥550 mm
- Package: 1 set
- Including:
  - 1 set frame with door connector
  - 2 pcs storage basket



## Components



## Order information



| KB  | Product dimensions | Description                         | Item No.   |
|-----|--------------------|-------------------------------------|------------|
| 300 | 243*473*502mm      | Left hand side mounted; soft-close  | SBP02300GL |
| 300 | 243*473*502mm      | Right hand side mounted; soft-close | SBP02300GR |

## Corner unit

### Corner swing-out basket




- Cabinet width: 900mm
- Installed height:  $\geq 650$  mm
- Installed depth:  $\geq 500$  mm
- Package: 1 set
- Including:
  - 2 pcs storage basket
  - 1 set side holder
  - 1 set middle holder
  - 1 pc middle holder fittings
  - 2 sets side holder arm
  - 2 sets middle holder arm



C

### Components



### Order information


| KB  | Product dimensions | Description                   | Item No.   |
|-----|--------------------|-------------------------------|------------|
| 900 | 864-964*500*530mm  | Left handed door; soft-close  | SCS02900GL |
| 900 | 864-964*500*530mm  | Right handed door; soft-close | SCS02900GR |

## Corner unit


Magic swing-out corner (Both left & right)



- Cabinet width: 900mm
- Installed height:  $\geq 650$  mm
- Installed depth:  $\geq 550$  mm
- Package: 1 set
- Including:
  - 1 set rear frame kit
  - 1 set side frame kit
  - 1 set linkage
  - 2 sets door connector
  - 1 set door reinforcement connectors
  - 2 pcs rear baskets
  - 2 pcs front baskets



## Components



## Order information

| KB  | Product dimensions | Description                          | Item No.  |
|-----|--------------------|--------------------------------------|-----------|
| 900 | 864-964*500*530mm  | Left & right handed door; soft-close | SCS01900G |


Corner unit

Magic pull-out corner (Both left & right)

Optimiser




- Cabinet width: 900mm
- Installed height: ≥650 mm
- Installed depth: ≥550 mm
- Package: 1 set
- Including:
  - 1 set frame
  - 1 set bottom frame
  - 2 set holders
  - 2 pcs rear baskets
  - 2 pcs front baskets
  - 1 pc limit



C

Components



Order information


| KB  | Product dimensions | Description                          | Item No.  |
|-----|--------------------|--------------------------------------|-----------|
| 900 | 607*503*613mm      | Left & right handed door; soft-close | SCP01900G |

## Larder unit


Tall pull-out basket



- Cabinet width: 300mm; 400mm
- Package: 1 set
- Including:
  - 4/5/6 pcs baskets
  - 4/5/6 basket connector
  - 1 pc reinforcement bracket
  - 2 pcs door connector
  - 1 pc frame
  - 1 pc top rail
  - 1 pc bottom rail



## Components



## Order information



| KB  | Product dimensions  | Description                | Item No.   |
|-----|---------------------|----------------------------|------------|
| 300 | 100*490*1770-2070mm | 5 layer basket; soft-close | STP025300G |
| 300 | 100*490*1970-2270mm | 6 layer basket; soft-close | STP016300G |
| 400 | 100*490*1770-2070mm | 5 layer basket; soft-close | STP025400G |
| 400 | 100*490*1970-2270mm | 6 layer basket; soft-close | STP016400G |

# Larder unit

Tall swing-out basket




- Cabinet width: 450mm; 600mm
- Package: 1 set
- Including:
  - 1 set slides
  - 3 sets cover clip
  - 1 set “L” plate
  - 2 pcs connect bar
  - 1 set door frame
  - 1 pc main frame
  - 3/4/5/6 pcs rear basket
  - 3/4/5/6 pcs door basket



C

## Components



## Order information

| KB  | Product dimensions | Description                | Item No.   |
|-----|--------------------|----------------------------|------------|
| 450 | 410*490*850mm      | 4 layer basket; soft-close | STW014450G |
| 450 | 410*490*1700mm     | 6 layer basket; soft-close | STW016450G |
| 600 | 560*490*850mm      | 4 layer basket; soft-close | STW014600G |
| 600 | 560*490*1700mm     | 6 layer basket; soft-close | STW016600G |

## Corner unit

3/4 Carousel & 1/2 Carousel



- Ht adjustable telescopic pole
- Load capacity 20KG
- Baskets can be repositioned



- Solid Base 3/4 Carousel
- Unite size: 900mm
- Diameter: 710mm

| Diameter | Description              | Item No.       |
|----------|--------------------------|----------------|
| 700      | 3/4 carousel             | 3/4CAROUSEL700 |
| 770      | 3/4 carousel             | 3/4CAROUSEL770 |
| 750      | 1/2 carousel             | 1/2CAROUSEL750 |
| 850      | 1/2 carousel             | 1/2CAROUSEL850 |
| 900      | 1/2 carousel             | 1/2CAROUSEL820 |
| 710      | 3/4 carousel; Solid base | ECIPCC390      |

## Base unit

Pull-out wire basket



- European made chrome finished baskets with top grade stainless steel
- 10 Year manufacturers warranty
- Easy fix clip on basket system including ball bearing full extension runners
- Load capacity 35Kg

| KB   | Product dimensions | Item No. |
|------|--------------------|----------|
| 300  | D460*H135mm        | EC4300   |
| 400  | D460*H135mm        | EC4400   |
| 450  | D460*H135mm        | EC4450   |
| 500  | D460*H135mm        | EC4500   |
| 600  | D460*H135mm        | EC4600   |
| 800  | D460*H135mm        | EC4800   |
| 900  | D460*H135mm        | EC4900   |
| 1000 | D460*H135mm        | EC4100   |



Base unit

Pull-out wicker basket



- Integrated handle for easy pull out
- Basket easily removed for cleaning
- Solid beech surround and runners

C

| KB  | Product dimensions | Item No.          |
|-----|--------------------|-------------------|
| 400 | D450*H220mm        | WICKERBASKETA2238 |
| 500 | D450*H220mm        | WICKERBASKETA2239 |
| 600 | D450*H220mm        | WICKERBASKETA2240 |

Base unit

Spice racks



| KB  | Product dimensions   | Item No.      |
|-----|----------------------|---------------|
| 400 | Door mounted; 3 Tier | SPICE3TIER400 |
| 450 | Door mounted; 3 Tier | SPICE3TIER450 |

# SECTION D

## SINK SYSTEM

### SECTION

---



#### RODI

- >Portugese manufactured sinks with highest quality stainless steel
- >0.8mm steel used in every sink
- >10 year manufacturers guarantee on all products
- >ISO 9001:2008 OHSAS A8001

#### RAK

- >Fired at an intense heat to fuse the glaze, this durable, non-porous material produces a glossy, hard surface, finished in a luxurious white.
- RAK is ISO 9001 : 2008 & ISO 14001 : 2004 certified.


- >All RAK Sinks come with full waste kit,overflow kit and cap INCLUDED.

#### NERO

IDE

Repa  
enore





## IDEIAS FRESCAS PARA A SUA COZINHA.

Olhe com atenção e descubra as soluções Rodi para o lava-louças da sua cozinha. Preste atenção nos detalhes, nos acabamentos, na variedade e na elegância do design. São pequenos pormenores que vão mudar a sua forma de estar e de ver as coisas na sua cozinha. Inspire-se com Rodi.

[www.rodip.pt](http://www.rodip.pt)

**Rodi**  
kitchen sinks and ideas

## Sink - RODI

Single bowl inset sink

**RODI**  
*sinks and ideas*

Item no. RHODESSBDSINK



- External measure: 860X500mm
- Bowl measure: 340X400mm
- For 450mm cabinet width
- 170mm depth

Item no. OKIO80PLUS



- External measure: 800X500mm
- Bowl measure: 340X400mm
- For 400mm cabinet width
- 200mm depth

Item no. ROVIGOFLAT



- External measure: 780X435mm
- Bowl measure: 340X400mm
- For 400mm cabinet width
- 145mm depth

Item no. OKIO65FLAT



- External measure: 650X500mm
- Bowl measure: 340X400mm
- For 400mm cabinet width
- 200mm depth

## Sink - RODI

Single bowl inset sink

**RODI**  
*sinks and ideas*

Item no. SEMIDUETOSINK



- External measure: 847X444mm
- Bowl measure: 367mm
- For 450mm cabinet width
- 145mm depth

D

Item no. EVO105



- External measure: 1000X500mm
- Bowl measure: 450X400mm
- For 250mm cabinet width
- 600mm depth

Item no. PIOREDONDOSBSINK



- External measure: 510mm
- Bowl measure: 390mm
- For 600mm cabinet width
- 175mm depth

Item no. PIOMITHUSSBSINK



- External measure: 420mm
- Bowl measure: 385mm
- For 450mm cabinet width
- 175mm depth

## Sink - RODI

1 & 1/2 bowl inset sinks

**RODI**  
*sinks and ideas*

Item no. OKIO1.5BOWLSINK



- External measure: 1000X500mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 160X300mm
- For 600mm cabinet width
- 175/90mm depth

Item no. OKIO100PLUS



- External measure: 1000X500mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 146X296mm
- For 600mm cabinet width
- 200/150mm depth

Item no. OKIOLINE120FLAT



- External measure: 1200X500mm
- Bowl measure: 340X400mm X2
- For 800mm cabinet width
- 170mm depth

Item no. EVO100



- External measure: 1000X500mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 146X296mm
- For 600mm cabinet width
- 250mm depth



## Sink - RODI

Undermounted sink

**RODI**  
*sinks and ideas*

Item no. RODIUNDMOUNT1.5



- External measure: 572X450mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 146X296mm
- For 600mm cabinet width
- 150/200mm depth

D

Item no. RODILHDUO60

Left hand

Item no. RODIRHDUO60

Right hand



- External measure: 572X450mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 146X296mm
- For 600mm cabinet width
- 200/150mm depth

Item no. RODIRHDUO80



- External measure: 765X450mm
- Bowl measure: 340X400mm X2
- For 900mm cabinet width
- 200mm depth

Item no. RODILHDUO90

Left hand

Item no. RODIRHDUO90

Right hand



- External measure: 755X450mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 330X330mm
- For 900mm cabinet width
- 200mm depth

## Item no. PIASINGULARUMSINK

**Singular**

- External measure: 168X318mm
- Bowl measure: 146X296mm
- For 200mm cabinet width
- 150mm depth

## Item no. PIABRASILIAUMSINK

**Brasilia**

- External measure: 380X440mm
- Bowl measure: 340X400mm
- For 400mm cabinet width
- 200mm depth

## Item no. PIABAHIAUMSINK

**Bahia**

- External measure: 440X440mm
- Bowl measure: 400X400mm
- For 450mm cabinet width
- 200mm depth

## Item no. PIABELEMUMSINK

**Belem**

- External measure: 540X440mm
- Bowl measure: 500X400mm
- For 600mm cabinet width
- 200mm depth

## Item no. PIINDUS40SINK

**Indus 40**

- External measure: 440X440mm
- Bowl measure: 400X400mm
- For 450mm cabinet width
- 250mm depth

## Item no. PIINDUS50SINK

**Indus 50**

- External measure: 535X535mm
- Bowl measure: 500X500mm
- For 600mm cabinet width
- 300mm depth

## Item no. PIAMITHUSRUMSINK

**PIA MITHUS**


- External measure: 420mm
- Bowl measure: 385mm
- For 450mm cabinet width
- 175mm depth



## Item no. SMART SINGLE BOWL SRX61186




- Smart Single Bowl SRX61186
- Stainless Steel
- Inset Installation
- External measure: 860X500mm
- For 450mm cabinet width




D


## Item no. SMART BOWL &amp; 1/2 SRX651



- Smart Bowl & 1/2 SRX651
- External measure: 1000X500mm
- For 500mm cabinet width




## Item no. RENO SINGLE BOWL RENO611



- Reno Single Bowl RENO611
- Reversible Drainer
- External measure: 860X500mm
- Bowl measure: 345X395X160mm
- 0.6mm thickness
- Rounded edges
- 50 year guarantee

## Item no. FRANKEASCONA15



- Reno Bowl & half RENO651
- Reversible Drainer
- External measure: 1000X500mm
- Bowl measure: 450X395X160mm
- Bowl measure SM: 170X320X80mm
- 0.6mm thickness
- Rounded edges
- 50 year guarantee

## Sink - Nero


Sink



### Item no. APOLLO946SINGLEBOWLSINK




- Apollo 946 Single bowl sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 860X500mm
- Bowl measure: 350X400X160mm



### Item no. ATHENA 9481.5BOWLSINK




- Athena 948 1.5 bowl sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 1000X500mm
- Bowl measure LG: 350X400X160mm
- Bowl measure SM: 165X295X130mm



### Item no. ARES 984 UNDERMOUNTED 1.5 BOWL SINK




- Ares 984 Undermounted 1.5 bowl sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 580X440mm
- Bowl measure LG: 340X400X185mm
- Bowl measure SM: 170X300X170mm



### Item no. ARTEMISMEDIUM884UNDERMOUNTEDSINK



- Artemis Medium 884 undermounted sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 390X450mm
- Bowl measure: 340X400X185mm



## Sink - Nero


Sink



### Item no. ARTEMISL885UNDERMOUNTEDSINK



- Artemis L 885 undermounted sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 450X450mm
- Bowl measure: 400X400X190mm




D

### Item no. ARTEMISXL662UNDERMOUNTEDSINK



- Artemis XL 662 undermounted sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 550X450mm
- Bowl measure: 500X400X200mm




## Sink - RAK


Sink




Item no. RAKBELFAST




Item no. RAKDOUBLEBOWL



Item no. RAKSBSDGOURMET100



Item no. RAK1.5GOURMET



## Sink - RAK

Sink



Item no. DSINK2



- External measure: 1010mm x 510mm x 220mm
- Bowl measure: 470mm x 340mm

D

Item no. DSINK1



- External measure: 1010mm x 510mm x 220mm
- Bowl measure LG: 470X340mm
- Bowl measure SM: 140X340mm

Item no. RAKSINK6



Item no. RAKSINK7



Both Gourmet sink 6 & 7 can be used overmounted & undermounted.





## SECTION E

## TAP SECTION

---



Light Hardware Supplies Ltd

## Tap

New kitchen tap range

### ✱ Nero

Item no. MCEKT004



#### Contemporary Top Lever

- Material: Brass
- Finish: Chrome
- Min. bar pressure: 0.1-0.3 bar
- Cut out: 35mm
- Height: 110mm
- Reach: 250mm
- Valve type: Ceramic

Item no. KIT600



#### Classic Dual Lever 1/4 Turn

- Material: Brass
- Finish: Chrome
- Min. bar pressure: 0.1-0.3 bar
- Cut out: 35mm
- Height: 240mm
- Reach: 255mm
- Valve type: Brass

Item no. KIT009



#### Traditional Belfast Dual Lever

- Material: Brass
- Finish: Chrome
- Min. bar pressure: 0.1-0.3 bar
- Cut out: 35mm
- Height: 345mm
- Reach: 190mm
- Valve type: Brass

Item no. KIT301



#### Prima Dual Lever Swan Neck

- Material: Brass
- Finish: Chrome
- Min. bar pressure: 0.1-0.3 bar
- Cut out: 35mm
- Height: 360mm
- Reach: 255mm
- Valve type: Brass

Item no. KIT225



#### Staten Dual Lever Swan Neck

- Material: Brass
- Finish: Chrome
- Min. bar pressure: 0.1-0.3 bar
- Cut out: 35mm
- Height: 375mm
- Reach: 247mm
- Valve type: Brass



## Tap

New kitchen tap range

**FRANKE**

Item no. FRANKE ASCONA



E

### ½" Ceramic Disc Valves

- Surface-Mounted with Swivel Spout
- Modern Design
- Built-In Aerator
- Suitable for High Pressure Systems
- 1 Year Guarantee

## Tap

New kitchen tap range



**MADE IN ITALY  
WITH LOVE** 

Bronze

VICARIOTAPRETROB



Chrome

VICARIOTAPDECK



Chrome

VICARIOTAPMIX30



Chrome

VICARIOTAPMIX3T



Chrome

VICARIOTAPMIX35D



Chrome

MIX4000TAP



Chrome

VICARIOTAPRIALTO



Chrome

VICARIOTAPROGER

Brushed

VICARIOTAPROGB



\* Contact us for full range of spec

# Quooker®

## Boiling Water Tap

LHS has been a wholesdale distributor of the Quooker boiling water taps for the past 8 years  
As an official Quooker distributor, we stock an extensive range of the taps and aecessories.



E

- Quooker invented the boiling-water tap and has been in business for more than 30 years.
- Thanks to its patented high-vacuum insulation, Quooker is the most economical boiling water system on the market.
- The world's first and only 100°C boiling-water tap using patented stainless steel vacuum flask technology
- When equipped with the new CUBE will provide 100°C boiling, cold, hot, and now filtered chilled and sparkling water. The only tap in the world to offer this combination.
- Quooker is the only manufacturer to use a water filter in all its tanks (HiTAC® water filter).
- Quooker is the only manufacturer with height-adjustable boiling-water taps.
- The Quooker system is easy to maintain and repair.
- Quooker includes a wide selection of taps.
- More than 800,000 European households already have a Quooker.
- Quooker has more than forty patents.
- Quooker is a Dutch manufacturer.

Choose your tap

Quooker®



#### Fusion Round Polished Chrome

Also available in following finishes

- \* Stainless Steel
- \* Black
- \* Patinated Brass
- \* Gold



#### Fusion Square Stainless Steel

Also available in following finishes

- \* Polished Chrome
- \* Black
- \* Patinated Brass
- \* Gold



#### Flex Black (Pull out flexible hose)

Also available in following finishes

- \* Polished Chrome
- \* Stainless steel



Choose your tap

Quooker®



#### Fusion Classic Square Nickel

Also available in following finishes

\* Polished Chrome

\* Stainless steel

\* Patinated Brass



#### Nordic Square Twin taps Polished Chrome (also available in Round)

Also available in following finishes

\* Stainless steel



#### Nordic Round Single Tap Polished Chrome (also available in square)

Also available in following finishes

\* Stainless steel



#### Nordic Classic Square Single Tap Nickel

Also available in following finishes

\* Polished Chrome

\* Stainless steel



E

## Tank



### Pro 3

3 litre Tank

this is the most popular choice for households. Instant access to 3 litres of boiling water.



### Combi

7 litre Tank

The combi gives you instant access to 7 litres of boiling water, and also provides access to hot water from the tank.

(also available in 7 litre Pro7)

## Cube



Equipped with a CUBE the Quooker tap provides filtered chilled and sparkling water alongside 100°C boiling, cold and hot water.

All from one tap!

The tap that does it all offers all the familiar advantages of a Quooker. It delivers water at true 100°C, saves time, water, energy and space and now also means you no longer need to buy plastic bottled water. Great for the environment!

The childproof double push-and-turn handle, insulated spout and fine aerated spray ensure no risk of scalding or burning.

You can now enjoy a glass of refreshingly filtered chilled water or make delicious lemonades and cocktails with that added sparkle!

## Cold water filter



The cold water filter has been designed to allow you to quickly switch from tap water to cold filtered water.

The Quooker tap supplies cold filtered water via a single push and turn which engaged will light the tap ring blue.

The water passes through an activated-carbon filter which ensures the water tastes and smells better. The filter is easy to replace and must be changed at six monthly intervals.

(not required if you choose a Cube, as it comes as part of the Cube)

## Scale Control Plus



The Scale Control Plus has been developed to lengthen the lifespan of your Quooker by reducing the water hardness.

It is the most reliable descaling solution for the Quooker and improves the taste of the Quooker water

## Nordic Soap Dispenser



Available in

- \*Polished Chrome
- \*Stainless Steel
- \*Black
- \*Patinated Brass
- \*Gold

# KAELO

The Integrated Wine cooler



Kaelo is an integrated wine cooler that keeps your wine perfectly chilled once you've opened the bottle. Kaelo can be built into nearly any surface and offers a fun, effortless and beautiful way to serve and enjoy wine, champagne, water and soft drinks.

## Perfectly Chilled

Take a cold bottle from the fridge, put it in your Kaelo and touch the crown. That's all you need to do. Kaelo will maintain your wine to within 1-2°C of the opening temperature, from the first glass to the last.

## Innovative technology

Our patented cooling system, Kryolux™, creates a jacket of cold air which wraps around the bottle, keeping the wine perfectly chilled and the bottle totally dry. Adapted from military and medical technology, Kryolux™ is hyper-efficient meaning Kaelo gets super-cold in seconds yet only uses the same power as a 60-watt light-bulb. Smart touch technology is fused into the crown so there's no need for buttons or a remote. Just a touch on the crown will turn your Kaelo on, or allow you to change the colour of the light

### The Crown

- \*Edge to edge seamless curve
- \*Hand polished or brushed stainless steel
- \*Eight premium colour finishes
- \*Touch sensitive interface

### Lighting

- \*27 colours
- \*select using touch
- \*colour flow mode
- \*option to use without light

### Specification

- \*integrated Kaelo :300 x 162mm

Signature Champagne Brass Gold Rose Gold Copper Gun Metal Charcoal Black





# SECTION F

## EXTRACTOR SECTION

---







## CANOPY HOODS

Elica 52cm ERA C Canopy Hood

**Item No: ERACIXA60**

- Size: 60cm
- Colour: Stainless Steel
- Max Extr. 365m3/hr
- Noise Level db(A): 66



## CANOPY HOODS

Elica 72cm ERA C Canopy Hood

**Item No: ERACIXA80**

- Size: 80cm
- 146W Total Absorption
- 120mm Duct Size
- D Energy Class
- Grease Aluminium Filter Included

F



## INTEGRATED HOODS

Elica 60cm Integrata Integrated Hood Grey

**Item No: ELICAINTEGRATED120**

- 3S Slider Control
- 290 m3/h Maximum Airflow
- 118W Total Absorption
- 120mm Duct Size
- D Energy Class
- 67 db(a) Maximum Noise Level



## CHIMNEY HOODS

Missy Stainless Steel

**Item No: MISSYIXA60(60cm)/MISSYIXA90(90cm)**

- Size: 60-90
- Finish: Stainless Steel
- Version: Duct out
- Controls: 3s mechanical push button
- Lighting: LED2x3W
- Max Airflow: 392m3/h
- Noise level: 68 db(a)
- Absorbtion: 96W
- Duct size: 150mm

## Extractor range

Bauer



### INTEGRATED HOODS



**Item No.: BR-1602**

Total power: 69W

Width: 600mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X65W

Fan Speed: 3

Lamp type & power: 2X2W LED

Erp level: C

Filter: 2 pcs Aluminium filter, 5 layers

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 380

Noise level High Speed db: 52

### CANOPY HOOD



**Item No.: BR-1701**

Total power: 330W

Width: 520mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X65W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: C

Filter: 1 pc Aluminium filter, 5 layers

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 380

Noise level High Speed db: 71



**Item No.: BR-1702**

Total power: 330W

Width: 750mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X65W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: C

Filter: 1 pc Aluminium filter, 5 layers

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 380

Noise level High Speed db: 71

## Extractor range

Bauer



BAUER



### STAINLESS STEEL CHIMNEY HOODS



**Item No.: BR-1801**

Total power: 254W

Width: 600mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X250W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: C

Filter: 2 pcs Aluminium filter

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 550

Noise level High Speed db: 71

Also available in black



**Item No.: BR-18012**

Total power: 254W

Width: 900mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X250W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: A

Filter: 2 pcs Aluminium filter

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 650

Noise level High Speed db: 71

Also available in black

F

### CURVED GLASS CHIMNEY HOODS (LCD Display - Soft Touch controls & Filter Indicator)



**Item No.: BR-1901**

Total power: 69W

Width: 600mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X65W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: C

Filter: 1 pc Aluminium filter, 5 layers

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 400

Noise level High Speed db: 64



**Item No.: BR-1902**

Total power: 69W

Width: 900mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X65W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: A

Filter: 2 pc Aluminium filter, 5 layers

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 400

Noise level High Speed db: 64

## Extractor range

Bauer

  
**BAUER**



**CB**



### Item No.: BR-2001

White colour

Width: 600mm

Extraction Rate - 700m<sup>3</sup>

LED Strip lights

LCD Digital display

(also indicates when Filter needs to be replaced)

Touch Screen Controls

Remote control



### Item No.: BR-2002

Black colour

Width: 600mm

Extraction Rate - 700m<sup>3</sup>

LED Strip lights

LCD Digital display

(also indicates when Filter needs to be replaced)

Touch Screen Controls

Remote control



\* Remote control

## Extractor range

### Vent



#### VENT PIPE

##### FLEXIBLE PIPE

- 6 Meter Flexible pipe
- White
- Available in 4 inch  
5 Inch



#### VENT GRILL

##### SOLID VENT GRILL

- 160mm x 160mm
- White / Brown
- Available in 4 inch  
5 Inch



#### VENT GRILL WITH FLAP

- 160mm x 160mm
- White / Brown
- Available in 4 inch  
5 Inch

## SECTION H

### WORKTOP; TIMBER & LAQUERS AND PAINTS SECTION

---







## European Edge (6mm Radius)





Manufactured using Formica® Laminate, these worktops have been developed to provide a hygienic & water resistant surface

All incorporate a front edge seal, giving you value as well as performance in even the toughest kitchen environments.



|                 |              |          |
|-----------------|--------------|----------|
| Available sizes |              |          |
| Worktop         | 28mm         | 38mm     |
|                 | 3600x600     | 3600x600 |
|                 |              | 4100x600 |
| Bfast bar       | 28mm         | 38mm     |
|                 | 3600x670     | 3600x670 |
|                 | 3600x900     | 4100x900 |
| Upstands        | 3600x100x18  |          |
| Splashback      | 3050x1220x12 |          |

Stock range below - EE / LE indictaes stock in the European edge & Leading edge

|  |  |  |   |
|--|--|--|---|
| Blanco Etch - EE / LE<br>3.6m       | Brown Granite Gloss- EE/LE<br>3.6m  | Cream Artstone - EE<br>4.1m  | Butterrurn Granite Crystal-EE<br>4.1m  |
| Black Granite Crystal - EE<br>4.1m  | Black Granite Gloss - EE<br>3.6m    | White Kashmir - EE<br>4.1m   | Mignight Dream - EE<br>4.1m            |



## Worktop

Mica post form



### Leading Edge

Leading edge worktops use top quality laminates combined with the worlds leading edge by Dolkin, resulting in a really stylish, practical and state of the art worktop.  
The use of PU glue on all edges gives peace of mind, ensures maximum protection from water spills and moisture.



Tops can be made to order with any one of the Leading Edge range, available up to 4090mm long (depending on colour) & up to 1200mm wide. Worktops can be finished to any size within the above dimensions and also curved on 1 or all 4 corners.



#### Available sizes Worktop

| 28mm     | 38mm              |
|----------|-------------------|
| 3590x600 | 4090 / 3590 x 600 |

#### Bfast Bar

| 28mm       | 38mm              |
|------------|-------------------|
| 3590 x 670 | 4090 / 3590 x 670 |
| 3590 x 900 | 4090 / 3590 x 900 |

#### Upstands

3600 x 100 x 18

#### Splashback

3050 x 1220 x 12

(please note, some colours come in different lengths)

H

Stock range below - EE / LE indicates stock in the European edge & Leading edge

Giallo etch - EE / LE  
3.6m



Robson Oak - EE / LE  
4.1m



Oriental Block - EE / LE  
3.6m & 4.1m



Light Walnut - EE / LE  
4.1m



Travertine Uni - EE / LE  
4.1m



Wenge - EE / LE  
4.1m



Arlington Oak - EE  
4.1m



Other colours available to order, full worktop brochure available on request

## Worktop

Solid Woktop Range

### Solid Woktop Range



#### 40mm solid tops

|           |            |            |
|-----------|------------|------------|
| White Oak | 4000 x 610 | 3000 x 900 |
| Wild Oak  | 4100 x 650 | 3000 x 900 |
| Beech     | 4000 x 640 | 3000 x 900 |
| Bamboo    | 3050 x 640 |            |

Others available on request

## Top plus



## TOPPLUS FEATURES

- \*Innovative design, superior quality, postformed worktop.
- \*Laminate face
- \*Melamine foil branded backing
- \*Furniture grade chipboard core Single & double postformed edge
- \*1.8m edging strip included

|                           |            |            |            |
|---------------------------|------------|------------|------------|
|                           | 40mm       | 40mm       | 28mm       |
| TopPlus available sizes : | 3600 x 600 | 4100 x 600 | 3600 x 600 |
| (depending on colour)     | 3600 x 650 | 4100 x 650 | 3600 x 650 |
|                           | 3600 x 900 | 4100 x 900 | 3600 x 900 |

H



- \*The ultimate square edged worktop.
- \*40mm nominal thickness, furniture grade chipboard core.
- \*Square edged profile.
- \*Edged with polypropylene edging on all four sides to match surface & texture.
- \*No exposed surface areas.
- \*Customised individual pieces available.

|                            |            |            |            |
|----------------------------|------------|------------|------------|
|                            | 40mm       | 40mm       | 25mm       |
| TopShape available sizes : | 3600 x 650 | 4050 x 650 | 3600 x 900 |
| (depending on colour)      | 3600 x 900 | 4050 x 900 | 4050 x 900 |

## Stock Range

(showing stock size in both TP topplus & TS topshape all 40mm)

Black Star Astra



3600mm TP, 3050mm TS

Carrera marble




3600mm TP, 3050mm TS

Carrera Stone




4100mm TP, 4050mm TS

Darwin Marble




3600mm TP

Elegant Oak



4100mm TP

Graphite melange



3600mm TP

Silverback Marble




3600mm TP, 3050mm TS

Tivoli Stone



3600mm TP

White Star Astra



3600mm TP, 3050mm TS

Many other colours & sizes available, contact us for full brochure.

Bespoke custom worktops available to order in TopShape also





## Timber products

### Worktop fittings

#### CLASSIC PROFILE

##### CLASSIC END

- Available in 30mm  
40mm



##### CLASSIC JOINER

- Black
- Aluminium
- Bronze



##### CLASSIC T-TAIL

- Classic style fits the Topplus & carella range of tops



#### QUADRA PROFILE

##### QUADRA END

- Available in 30mm  
40mm



##### QUADRA JOINER

- Black
- Aluminium
- Bronze



##### QUADRA T-TAIL

- Quadra style fits the Duropal range



#### WORKTOP BOLTS

- 85mm x 150mm



#### WORKTOP KITCHEN LEGS

- 710mm x 870mm



#### WORKTOP JOINT SEAL - COLORFILL

- spanish walnut
- Sarum Grey
- Polar white
- Oak woodmix
- Natural Stone
- Aragon Oak
- Black Granite
- \*Almond dust



#### CONTACT ADHESIVE

- 0.7 Kg
- 4.5 Kg



H

## Timber products

### Kitchen posts

REEDED



FLUTED



GUN BARRELL



COLONIAL



CARN



|                           |               |           |           |           |
|---------------------------|---------------|-----------|-----------|-----------|
| Wood :                    | Knotty Pine   | Popular   | White Oak | Ash       |
|                           | Character Oak | Pippy Oak | Walnut    | Beech     |
|                           | Cherry        | Mahogany  | Maple     | Red Oak   |
| Sizes ailable:<br>(stock) | 900 x 65      | 1250 x 65 | 900 x 94  | 1250 x 94 |
|                           |               |           |           |           |

**Timber products**  
Cornice


TH CORNICE (TO MATCH CORNER BLOCK)



STANDARD CORNICE



HERITAGE CORNICE



PELMET

HERITAGE PELMET



STANDARD PELMET



H

Cornice & Pelmet come in 12 ft lengths.

|        |               |           |           |         |
|--------|---------------|-----------|-----------|---------|
| Wood : | Knotty Pine   | Popular   | White Oak | Ash     |
|        | Character Oak | Pippy Oak | Walnut    | Beech   |
|        | Cherry        | Mahogany  | Maple     | Red Oak |

CORNER BLOCK

Available in: White Oak popular



(used with TH Cornice)

QUADRANT CORNER MOULDING

Available in: White oak popular  
Walnut  
12 ft lengths



(used with TH Cornice)

CORBEL

Available in: White Oak popular

Scroll

Plain





## Timber products

### Stair components

We stock a full range of stair components in both Knotty Pine & White Oak.

Also available to order in Ash , Mahogany , Maple , Walnut , Red Oak , Teak .

Spindle



Doweled Newel



Double Dowel



Doweled Base



Handrail



Chamfered style available to Order

Spindles

41 x 41 x 900mm  
41 x 41 x 1100mm

Full Newel

94 x 94 x 1500mm

Doweled Newel

94 x 94 x 1030mm

Double doweled newel

94 x 94 x 1030mm

Handrail

4.8m

Baserail & Infills

4.8m

Newel top



Handrail Brackets



Available in  
Aluminium  
Brass  
Grey

TGV Sheeting



2X1



TGV & 2X1 available in:

Ash      Beech    Cherry  
Mahogany    Poplar    Maple  
Walnut      White oak



THE NEW TRADING NAME FOR BECKER / GRANYTE



## THINNERS

|              |                          |  |
|--------------|--------------------------|--|
| NT873        | Retarder Thinners        | Strong Cellulose Retarder, Anti-bloom Thinner  |
| NT001        | Dual Thinners            | High Quality cellulose thinner for PC material |
| NT019        | Butyl Acetate Solvent    | Compatible for thinning A/C and P/C material   |
| GUNWASH      | Gunwash thinners         |  |
| PREMTHINNERS | Medium strenght thinners |  |

## BASECOAT

|        |                     |
|--------|---------------------|
| NL2501 | High Build Basecoat |
| NL2503 | MDF Edge-Sealer     |

## PRE-CAT LAQUER

|            |                |
|------------|----------------|
| NM25020010 | 10% Matt       |
| NM25020025 | 25% Soft-Sheen |
| NM25020040 | 40% Satin      |
| NM25020050 | 50% Semi-Gloss |

## AC LAQUER

|            |                 |
|------------|-----------------|
| DM21320010 | 10% Matt        |
| DM21320025 | 25% Soft -Sheen |
| DM21320040 | 40% Satin       |
| DM21320050 | 50% Semi-Gloss  |
| Hardener   |                 |
| DV309      | Hardener        |

## PAINTS

### PC

|            |                 |
|------------|-----------------|
| ND20129001 | White Primer PC |
|------------|-----------------|

### Finishes

|             |                                 |
|-------------|---------------------------------|
| NG250290012 | PC Enamel semi-matt White       |
| NG250295122 | PC Enamel semi-matt Magnolia    |
| NG250295142 | PC Enamel semi-matt Biscuit     |
| NG250295182 | PC Enamel semi-matt Stone White |
| NG250295202 | PC Enamel semi-matt Cream       |

### AC

|               |                 |
|---------------|-----------------|
| DF20119001174 | AC White Primer |
|---------------|-----------------|

### Finishes

|             |                          |
|-------------|--------------------------|
| DH200290012 | AC Semi Matt White       |
| DH200290012 | AC Satin White           |
| DH200290012 | AC Gloss White           |
| 10-B-15     | AC Semi Matt Stone White |

### Hardener

|       |          |
|-------|----------|
| DV309 | Hardener |
|-------|----------|

# SECTION J

## LED SECTION

## POP-UP SOCKET & WASTE DISPOSAL UNITS

---

sycamoreLED.com



## LED Light

### Cabinet light




#### SY7964 Recessed/surface light



- >Natural white
- >Brushed nickel finish
- >Diffused lense
- >Recessed or surface mounting

#### SY7980 Tri light



- >Natural white
- >Brushed nickel finish
- >Diffused lense
- >surface mounting

#### SY8935 Super slim light with magnetic fixing



This surface mounted fitting has a high quality body, with a super slim profile. The fitting features a unique magnetic fixing method for ease of fitting. It also features a diffused cover, so there are no visible LED points in the fitting. The LED comes in natural white, making it suitable for any type of kitchen design, whether traditional or contemporary. A brushed nickel magnetic bezel is included

- >Natural white
- >Brushed nickel finish
- >Diffused lense
- >surface mounting (Magnetic)

(Compatible drivers for SY8935 & SY7786 - 8W SY9980B runs 1 - 3 lights, 15w SY9739B/MF runs 1 - 6)

#### SY8935 Super slim light with magnetic fixing



This Infra Red slim-line LED light has an integrated movement sensor that activates the LED light when a door is opened. It also automatically shuts off if no movement is detected within 60 seconds. Range of detection 1 metre, 360 degrees. Ideal for inside kitchen cabinets and standard wardrobes.

- >Natural white
- >Brushed nickel finish
- >Diffused lense
- >surface mounting

## LED Light

### Cabinet light

#### SY7922 Solaris Slim Square Light



#### SY7923 Solaris Slim Square Light



These surface mounted designer fittings have a slim profile, in a sleek aluminium finish. Available in modern designs, these fittings would look perfect in a contemporary setting. The natural white LED is suitable for any type of kitchen design.

The Solaris also has a 120 degree beam angle, which fills cabinet or work surfaces and eliminates dark spots. It is available in a slim square or recti design.


>5w

>Natural white

>73 LM/W

(Compatible drivers for SY7922 & SY7923 - 8W SY9980B runs 1 light , 20w sy7350 a/mf runs 1 - 3 lights)

#### 240V LED link light



The Sirius LED link light is a perfect alternative to fluorescent link lights.

The link lights come complete with a diffused cover and have no visible LED points which provides a wide flood of light.

The fittings are individually switched and fully linkable for ease of use, and can be butt jointed to make longer lengths if desired.

|                             |          |      |       |
|-----------------------------|----------|------|-------|
| SY7690/A                    | NW or WW | 3w   | 222mm |
| SY7691/A                    | NW or WW | 4w   | 343mm |
| SY7692/A                    | NW or WW | 8.4w | 525mm |
| SY9556 1 m connecting cable |          |      |       |

|          |          |     |        |
|----------|----------|-----|--------|
| SY7693/A | NW or WW | 10w | 640mm  |
| SY7694/A | NW or WW | 12w | 904mm  |
| SY7695/A | NW or WW | 18w | 1204mm |

## LED Light

Cabinet light

### Strip lighting



### IP65 Flexible Strip Light



>3.6w per meter  
>IP65 (waterproof)

>35 LED per meter  
>cut marks every 85mm

|         |     |                       |                    |                    |
|---------|-----|-----------------------|--------------------|--------------------|
| SY7759  | 1 m | NW<br>(natural white) | CW<br>(cool white) | WM<br>(warm white) |
| SY7760  | 2 m | NW                    | CW                 | WM                 |
| SY7758A | 2 m | Distributor Cable     |                    |                    |

\*Compatible drivers - 8w SY9980B runs 2m , 15w SY9739B/MF runs 4m , 20w SY7350B runs 5m

J

### IP65 High Output Flexible Strip Light

>9.6w per meter  
>IP65 (waterproof)  
>cut marks every 25mm  
>120 LED per meter

|           |               |
|-----------|---------------|
| SY8916 5m | Warm white    |
| SY8917 5m | Natural White |
| SY8918 5m | Cool White    |

### IP20 Uncoated Flexible Strip Light

>3.6w per meter  
>IP20  
>uncoated  
>60 LED per meter  
>cut marks every 50mm


|        |    |                    |                 |                    |
|--------|----|--------------------|-----------------|--------------------|
| SY8932 | 5m | NW<br>(natural wh) | CW<br>(cool wh) | WM<br>(warm white) |
|--------|----|--------------------|-----------------|--------------------|

## LED Light

Cabinet light

### Plinth lighting

#### Round Plinth Light Kit



This new plinth light features a diffused cover so the LED points are not visible.  
Comes as a 4 light pack which includes power convertor.

>Natural white

SY7690/A

NW or WW

>1 W

>IP44

### Drawer lighting

#### Infra red auto Drawer light



|        |        |       |
|--------|--------|-------|
| SY8921 | 400mm  | 2.52w |
| SY8922 | 500mm  | 3.2w  |
| SY8923 | 600mm  | 3.9w  |
| SY8924 | 800mm  | 5.32w |
| SY8925 | 900mm  | 6.02w |
| SY8926 | 1000mm | 6.72w |

This new plinth light features a diffused cover so the LED points are not visible.  
Comes as a 4 light pack which includes power convertor.

Drawer light is ideal for illuminating pan drawers. The drawer is suitable for 15 to 22mm carcass units.

\*(Compatible drivers - 8w SY9980B , 15w SY9739B/MF )



## LED Light

Cabinet light

### Infra red sensor

SY8928 Single door sensor



SY8929 Double door sensor



The new soft start Sirius infra red door sensor switch is designed to work with single cabinet or cupboard door, by automatically turning a light on or off when a door is opened or closed. It is compatible with all the 12Vdc LED lighting ranges, and offers a simple plug & play connection system. The unit includes connection for one light.

However for more than one light a 12 way distribution block is available to purchase separately. Features a simple self adhesive fixing method.

A double sensor is also available, which is designed to work with a double cabinet or cupboard door, by automatically turning a light on and off when either door is opened.

### 12 way distribution block

SY7627




## LED Light

Cabinet light

### Battery Lighting

#### SY8927 NOVA Lithium Battery Light with sensor



This new Milano lithium battery operated light is rechargeable using the integrated USB port and also includes the USB charging cable. The battery lights, which has a diffused cover, and is available in natural white LED, also features an integrated PIR sensor which enables the unit to stay lit when movement is detected within a 500mm to 3m range, or when a cabinet door is opened. If in auto mode, the light will turn off if no movement is detected after 12 seconds.

There is also a switch to turn the unit to always on, or off manually if required.

The light takes 2 hours from no charge to full charge. Installation is simple, via the self adhesive magnetic plate. The fitting is attached to the magnetic plate, and can be easily removed for charging purposes.

> 3 months lighting time (based on 5 min use per day)

> Natural white

> Surface fitting (magnetic)

#### SY7628 NOVA Linear battery light with sensor



This lithium battery operated light is rechargeable using the integrated USB port, and also includes the USB charging cable. The battery light, which is available in natural white LED, also features an integrated PIR sensor, which enables the unit to stay lit when movement is detected within a 1 meter range.

There is also an override switch to turn off the unit manually if required.

The fitting has an innovative magnetic fixing method, which allows the unit to be removed for charging purposes, and can then be easily re-located on the supplied brackets.

> 3 months lighting time (based on 5 min use per day)

> Natural white

> Surface fitting (magnetic)

|            |       |
|------------|-------|
| SY7628     | 350mm |
| SY7628A460 | 460mm |

## Pop-up socket & waste disposal units



Stainless Steel

|                 |              |
|-----------------|--------------|
| Chrome          | POPSOCKETCR  |
| Black           | POPSOCKETBLK |
| Stainless Steel | POPSOCKETSS  |

- CE approved product
- 3 no. mains sockets & 2 no. USB Ports
- Comes with 1.5m flex
- Lid is available in 3 classy finishes



## WASTE DISPOSAL UNITS



- Eco3 is the Ideal domestic waste disposer unit.
- It has ultra quiet running plus an air switch.



"Eco-friendly, Eco-fast, EcoSink"

|             |             |
|-------------|-------------|
| Horse Power | 1/2 HP      |
| Motor Speed | 5500 rmp    |
| Warranty    | 5 years     |
| Sound Shell | Ultra Quiet |

Also available: ECO1 - 1/2HP; ECO2 - 1/2HP; ECO4 - 3/4HP  
ECO5 - 1HP



- Continuous Feed
- 3/4 Horsepower
- High Torque Dual Magnetic motor
- Air switch included



|             |           |
|-------------|-----------|
| Motor Speed | RPM: 2700 |
|-------------|-----------|

# SECTION K

## GENERAL HARDWARE SECTION

Fixing; Adhesives; Hinge; Lift



REISSER®



SPAX®



SCREWS

AVAILABLE SIZES

|       |    |    |    |    |    |    |    |    |    |    |    |    |     |     |  |
|-------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|--|
| 3.5 x | 16 | 20 | 25 | 30 | 35 | 40 | 45 | 50 |    |    |    |    |     |     |  |
| 4 x   | 16 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 60 | 70 | 80 |    |     |     |  |
| 4.5 x |    |    | 25 | 30 | 35 | 40 | 45 | 50 | 60 | 70 | 80 |    |     |     |  |
| 5 x   |    |    |    |    |    | 40 | 45 | 50 | 60 | 70 | 80 | 90 |     |     |  |
| 6 x   |    |    |    |    |    |    |    | 50 | 60 | 70 | 80 | 90 | 100 | 120 |  |

Pozi Bits No. 1 - 2 - 3 - 4

10 per pack



RAWLPLUGS

Brown

Red

1000 per box



STICK ON CAPS 1000 per pack

White, Cream, Maple, LT Oak, Med Oak,  
Walnut, Beech, Cherry, Farmhouse pine, Ivory



SCREW CAP COVER



100 per pack

Beige, Brown, White

K

CONCRETE FRAME SCREW

100 per pack



AVAILABLE SIZES

|       |     |
|-------|-----|
| 7.5 X | 62  |
| 7.5 X | 72  |
| 7.5 X | 82  |
| 7.5 X | 92  |
| 7.5 x | 102 |
| 7.5 x | 112 |
| 7.5 x | 122 |
| 7.5 x | 152 |
| 7.5 x | 182 |

KREG SCREW

1000 per box

4 x 30



## General hardware

### Fixings

#### CAVITY WALL DRIVA FIXING

100 per box



#### EXPRESS NAILS

100 per box



#### HAMMER IN FIXINGS

100 per box



|      |     |
|------|-----|
| 6 X  | 30  |
| 6 X  | 40  |
| 6 X  | 50  |
| 6 X  | 60  |
| 6 x  | 80  |
| 8 x  | 60  |
| 8 x  | 80  |
| 8 x  | 100 |
| 8 x  | 120 |
| 10 x | 80  |
| 10 x | 100 |
| 10 x | 115 |
| 10 x | 120 |

#### STEEL NAILS

100 per box



|       |    |
|-------|----|
| 2.5 X | 25 |
| 2.5 X | 30 |
| 2.5 X | 40 |
| 2.5 X | 50 |
| 3 x   | 40 |
| 3 x   | 50 |
| 3 x   | 60 |
| 3 x   | 65 |
| 3.5 x | 25 |
| 3.5 x | 30 |
| 3.5 x | 40 |
| 3.5 x | 50 |
| 3.5 x | 60 |
| 3.5 x | 65 |

#### WASHERED STEEL NAIL

100 per box



|       |    |
|-------|----|
| 3.7 x | 25 |
| 3.7 x | 30 |
| 3.7 x | 40 |
| 3.7 x | 50 |
| 3.7 x | 60 |
| 3.7 x | 75 |

#### BRASS SCREW CUP

1000 per box



Size - No.8

#### CAM & DOWEL

100 per box



|                |
|----------------|
| 15mm Cam       |
| 18mm Cam       |
| 24mm Dowel pin |
| 34mm Dowel pin |

#### TIMBER FLUTED DOWEL

1000 per box



|      |    |
|------|----|
| 6 x  | 30 |
| 6 x  | 40 |
| 8 x  | 30 |
| 8 x  | 40 |
| 8 x  | 50 |
| 10 x | 40 |
| 10 x | 50 |



General hardware

Fixings

3/4" ANGLE BRACKET

1000 per box



CORNER BRACE

50 per box



1 1/2"

2"

2 1/2"

3"

MODESTY BLOCK

100 per box

White

Beige

Brown



CORNER GUSSETT

50 per box

White



CORNER CONNECTOR WITH COVER

100 per box

White

Beige

Brown



NAIL IN SHELF STUD

1000 per box

White

Beige

Brown



K

PUSH IN SHELF STUDS (100 per box)

Push in Nickel stud  
282.24.710



Push in clear plastic stud  
283.63.510



Push in Glass Support  
EA14



Push in Glass Support  
BN Shelf support



Push in White Stud  
282.30.400

282.63.411  
Beige



Brass Shelf Stud and socket





## General hardware

### Adhesives

WE STOCK A WIDE RANGE OF ADHESIVES FOR MANY DIFFERENT APPLICATIONS INCLUDING , GENERAL ASSEMBLY, ETC.

#### D3 GENERAL ASSEMBLY

500ml



10Kg



28Kg



#### CONTACT ADHESIVE

0.7 Kg

4.5 Kg



#### GLUE SAUSAGES/CARTRIDGES & PELLETS



We have many different variants of cartridges and pellets for edge banding machines depending on the type of edge bander been used. Just contact us with the make and model of edge bander you have.

General hardware  
Adhesives

SILICONE

Clear  
White  
Black



DECORATERS  
CAULK

White  
Magnolia



GRIPFILL



WORKS

Clear  
White  
Black  
Grey  
Oak



EVERBUILD WATERPROOF PUR

5MIN TUBE



5MIN BOTTLE



30MIN BOTTLE



EXPANDING  
FOAM



K

MITRE BOND



SMART TACK  
750mg



D4 ADHESIVE  
750mg



CLEANING WIPES



TEC\_7\_CLEANER



STIXALL



TEC 7 SEALANT



## General hardware

### Drill bits & Blades

#### SDS Plus Hammer Bits



5 -16mm

#### Professional Masonry Bits



5 - 10mm

#### HSS Ground jobber drill



3 - 10mm

#### Flat wood bits



12 - 32mm

#### Bi-metal Holesaw Variable bit



20 - 79mm

#### Multi-tool Blade Mixed set



8 pack

#### Multi-tool Blade Mixed set



4 pack

## General hardware

### Hinge

LHS ARE NOW THE OFFICIAL AGENTS FOR AMEROCK HINGES FOR IRELAND & THE UK.

#### 7139 OVERLAY, SELF CLOSING, VARIABLE HINGE



|         |                 |
|---------|-----------------|
| 7139 14 | Nickel          |
| 7139 BB | Burnished brass |
| 7139 AE | Antique English |

#### 3180 PARTIAL WRAP, INSET, BALL TIPPED



|          |                 |
|----------|-----------------|
| 3180TBAE | Antique english |
| 3180TBWI | Wrought Iron    |
| 3180TBG9 | Sterling Silver |

#### 3175 FULL WRAP, INSET, MINARET TIP



|          |                 |
|----------|-----------------|
| 3175TM14 | Nickel          |
| 3175TMAE | Antique english |
| 3175TMBB | Burnished brass |

#### NICKEL MAGNETIC CATCH



K



General hardware

Hinge & Lifts

BUTT HINGE



Brass  
Steel

1"

1 1/2"

2"

2 1/2"

3"

BALL BEARING BUTT HINGE




4"

Brass  
Bronze  
Black  
Steel

PIE CUT HINGE



PIANO HINGE



Brass  
Chrome

EASY ON HINGE



## General hardware

### Hinge & Lifts

#### MICROWAVE HINGE



#### SENSIO

#### MICRO LIFT

Supplied as full set of brackets  
& adjustable centre bar. 600 - 900mm

2 Integrated gas pistons

Door HT450 - 700mm

Min Depth 250mm

NEWMICROWAVE2583

#### BI-FOLD HINGE



#### SENSIO

#### BI-FOLD DOOR LIFT MECHANISM

Set includes 1RH & 1LH mechanism

2 base fixing plate

2 flap supports & cover plates

Min Depth 138mm

BIFOLDHHINGE101

#### GAS LIFT

Used as a pair.



GASLIFT100

#### TENSION SPRING HINGE

Used as a pair.



TENSIONHINGE2645

K

#### ADJUSTABLE LIFT UP STAY 28MM



8"

LIFTUPSTAY2302

#### CORNER BAR HINGE



Bronze

CORNERBARBR

## General hardware

### Accessories

#### CASTORS



2" Grey rubber Fixed  
2" Grey rubber swivel  
2" Grey rubber brake  
2" Black with plate (4 pack)

3" Grey rubber fixed  
3" Grey rubber lockable  
3" Grey rubber swivel

4" Grey rubber lockable  
4" Grey rubber fixed  
4" Grey rubber swivel  
4" Grey rubber brake

#### CABLE OUTLET



Available in  
2" / 3" Brown / Black

#### HAT & COAT HOOK

Modern



Std



#### RAWLPLUGS



Small - Yellow  
Med - Red  
Large - Brown  
XL - Blue

#### PRE GLUED EDGING

Melamine



Real Wood



PVC



Huge range of colours in stock - Contact us for details



## General hardware

### Garden & Cleaning Products

#### DRIVE CLEAR (MOSS KILL)



A strong bactericide and fungicide solution for the removal of Bacterial spores, Moss, Algae spores and other organic growths from tarmac, paths, stone-work, slates etc.

Biodegradable, so, children and pets need not be excluded from treated areas (once dry)

10:1 dilution covers huge area 200sqm+

1 part Drive clear to 10 parts water

Available in

1 Litre 2 litre 5 litre 20 Litre

#### PATIO & DASH CLEANER



FORGET POWERWASHING, patio & dash cleaner is much more effective.

Sodium Hypochlorite based liquid with incredible cleaning power

Just spray on and wash off, hassle free.

Excellent cleaning product for footpaths, Kerbs, outdoor tiles & Headstones.

4:1 dilution

1 part patio & dash to 4 parts water

Available in

5 litre 20 litre

#### Drain Opener



1 L, 2 L, 5 L

#### Granite Surface Cleaner



1 L

#### Cement Remover



1 L, 2 L, 5 L

K

#### Anti-Bac Soap



500ml 5 L

#### Sterilizing Fluid



5 L

#### Pine Disinfectant



5 L

#### Builders Wipes



pack of 100



Soft-close

3D Adjustment

Clip-on

### 105 Degree Hinge



- Installation: Clip-on
- Opening degree: 105°
- Cup diameter: 35mm
- Cup depth: 11.5mm
- Right/left adj.:  $\pm 2.5$ mm
- Depth adj.: +3mm/-1mm
- Cup dimensions: 48mm
- Hinge material: Steel

|           |                  |         |                 |
|-----------|------------------|---------|-----------------|
| VSCOB105S | Soft closing     | Overlay | Screw Fix       |
| VSCOB105N | Non soft-closing | Overlay | Screwfix        |
| VEUOB105S | Soft closing     | Overlay | Euro Screw bolt |
| VSCIB105S | Soft closing     | Inset   | Screw fix       |

### 165 Degree Hinge



- Installation: Clip-on
- Opening degree: 165°
- Cup diameter: 35mm
- Cup depth: 11.5mm
- Right/left adj.:  $\pm 2.5$ mm
- Depth adj.: +3mm/-1mm
- Cup dimensions: 48mm
- Hinge material: Steel

|           |                  |         |           |
|-----------|------------------|---------|-----------|
| VSCOB165S | Soft closing     | Overlay | Screw Fix |
| VSCOB165N | Non soft-closing | Overlay | Screwfix  |
| VSCIB165S | Soft closing     | Inset   | Screw fix |

### Clip on Adjustable Plate



- Suitable for all hinges in Cemux range
- Cam Adjustable
- H=0

|         |                 |
|---------|-----------------|
| VPASC0A | Screw fix       |
| VPAEU0A | Euro screw bolt |



Blum 110 degree Soft Close Clip on Hinge



BLUMSCHINGE110 110 Soft close Clip on hinge

Blum 110 degree Clip on Hinge



BLUM2628 110 Clip On Hinge (non soft close)

Blum 170 degree Clip on Hinge



BLUM2627 170 Clip on Hinge (non sc)

Blum Adjustable Clip on plate



BLUM2629 BLUM Plate Clip Adjustable 3mm  
BLUM2629A BLUM Plate Clip Adjustable 6mm

Blum Soft close mechanism (for use with the clip on & slide on hinge)



BLUMSOFTCLOSE Soft close mechanism

# SECTION L

## GLIDE WARDROBE DOORS SECTION

Sliding door; Wardrobe;

---





We are proud to introduce the Glide range of Sliding wardrobe doors.

L

## GLIDE RANGE HIGHLIGHTS

- Patented European manufactured soft close system
- Highest quality aluminium frame, door and track
- Made to measure doors, up to 2440 mm h & 1250 mm w
- Available in single panel or multi panel designs
- Frame design means mirror and glass sit flush in door with no need for plastic gasket or silicone line
- Frame design also allows for double mirror and glass
- To be used back to back for room dividers etc.
- Frame designed to cater for 18 mm board giving a far stronger, more durable frame and door
- 18 mm board allows for huge choice of board styles
- Running system tested up to 80Kg
- 10 year guarantee on Doors and Track system
- 1 week lead time



## Wardrobe doors section

### Sliding door

With the glide sliding door range incorporating a huge number of décors in 4 frame colour options & multiple door panel configurations, the possibilities are endless.

Ask for more details & samples of available décors.

### FRAME COLOURS



MATT SILVER



POLISHED CHROME




CHAMPAGNE



BRUSHED BLACK



MATT IRON GREY




POLISHED IRON GREY

### 18mm Panel options

#### Range A1

Stock Colours (All Finsa Superpan)




White



Ivory




Natural Grey



Black



Cambrian  
(Sonoma) Oak



Lissa Oak



Cambridge  
Walnut



Walnut Supreme

#### Range A2

Available to order (short lead times)



Egger Cashmere



Egger Dust Grey



Egger Dakar



Egger Graphite



Egger Mussel



Egger Stone Grey

#### Range A3 woodgrain

Available to order (short lead times)



Woodgrain effect -

Ivory  
White

Cashmere  
Dakar

Mussel  
Graphite

Dust Grey  
Stone Grey

Light Grey

## Wardrobe doors section

### Sliding door




All our glass is Lacobel Cat 1 safety backed. These are some of the options available.



## GLASS




LIGHT BEIGE 1015



PEARL WHITE 1013



SOFT WHITE 9010



PURE WHITE 9003



LIGHT BROWN 1236



DARK BROWN 8017



GREY CLASSIC 7035



GREY METAL 9006



BRIGHT RED 1586



DARK RED 3004




CLASSIC BLACK 9005




MIRROR

## GLOSS



WHITE GLOSS



IVORY GLOSS



LIGHT GREY GLOSS



BLACK GLOSS



## Wardrobe doors section

Wardrobe hardware

### PULL DOWN WARDROBE RAIL

- Provides easy access to inaccessible space
- Quick & easy installation
- Width adjustable
- Max load capacity 12Kg
- Tested to 50,000 cycles
- Soft closing return mechanism

|              |                   |
|--------------|-------------------|
| 450 - 600mm  | WARDROBELIFTC2241 |
| 600 - 830mm  | WARDROBELIFTA2239 |
| 830 - 1150mm | WARDROBELIFTB2240 |



### PULL OUT STORAGE BASKET



|              |
|--------------|
| 400 x 100mm  |
| VPVEG4002240 |
| 400 x 200mm  |
| VPVEG4002241 |
| 500 x 100mm  |
| VPVEG5002244 |
| 500 x 200mm  |
| VPVEG5002242 |
| 600 x 100mm  |
| VPVEG6002245 |
| 600 x 200mm  |
| VPVEG6002243 |

- Full extension runners
- Chrome wire basket

### OVAL WRADROBE RAIL



|           |                |
|-----------|----------------|
| 3m length |                |
|           | OVALRAIL985    |
| Ends      | OVALEND989     |
| Centres   | OVALCENTRES990 |

### ROUND BAR



| 2.5m length |                 |           |                |
|-------------|-----------------|-----------|----------------|
| 3/4" bar    | 34ROUNDRAIL986  | 1" bar    | 1ROUNDRAIL987  |
| 3/4" end    | 34RODENDS991    | 1" end    | 1RODENDS994    |
| 3/4"centre  | 34RODCENTRES992 | 1" centre | 1RODCENTRES992 |

### CURVED OVAL RAIL



CURVEDOVALRAIL

## Wardrobe doors section

CEMUX Wardrobe hardware

### Clothes lifter - soft close



- Colour: Brown
- Material: Aluminum
- Cabinet width: 770-1150mm; 620-830mm
- Installed internal cabinet height:  $\geq 1100$  mm
- Installed internal cabinet depth:  $\geq 470$  mm
- Package: 1 set

#### Order information

| LW       | Product dimensions | Description  | Item No.  |
|----------|--------------------|--------------|-----------|
| 770-1150 | 734-1114*333*945mm | Brown colour | BW-G02A-1 |
| 620-830  | 584-794*333*945mm  | Brown colour | BW-G02B-1 |

### Pull out clother rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width:  $\geq 364$ mm
- Installed internal cabinet height:  $\geq 1100$  mm
- Installed internal cabinet depth:  $\geq 320$  mm
- Package: 1 set

L

#### Order information

| LW  | Product dimensions | Description  | Item No.    |
|-----|--------------------|--------------|-------------|
| 364 | 88*307*125mm       | Brown colour | BW-G1403B-1 |

## Wardrobe doors section

CEMUX Wardrobe hardware

### V type top-mount trouser rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width:  $\geq 364$ mm
- Installed internal cabinet height:  $\geq 700$  mm
- Installed internal cabinet depth:  $\geq 500$  mm
- Package: 1 set

#### Order information

| LW  | Product dimensions | Description  | Item No.   |
|-----|--------------------|--------------|------------|
| 364 | 340*460*155mm      | Brown colour | BW-G1402-1 |

### Dual top-mount trouser rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width:  $\geq 664$ mm
- Installed internal cabinet height:  $\geq 700$  mm
- Installed internal cabinet depth:  $\geq 500$  mm
- Package: 1 set

#### Order information

| LW  | Product dimensions | Description  | Item No.   |
|-----|--------------------|--------------|------------|
| 664 | 630*460*130mm      | Brown colour | BW-G1401-1 |

## Wardrobe doors section

CEMUX Wardrobe hardware

### Tie rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width:  $\geq 164\text{mm}$
- Installed internal cabinet height:  $\geq 500\text{ mm}$
- Installed internal cabinet depth:  $\geq 500\text{ mm}$
- Package: 1 set

#### Order information

| LW  | Product dimensions | Description  | Item No.    |
|-----|--------------------|--------------|-------------|
| 164 | 160*460*100mm      | Brown colour | BW-G1305B-1 |

### Side pull-out shoe rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width:  $\geq 364\text{mm}$
- Installed internal cabinet height:  $\geq 850\text{ mm}$
- Installed internal cabinet depth:  $\geq 475\text{ mm}$
- Package: 1 set

#### Order information

| LW  | Product dimensions | Description  | Item No.   |
|-----|--------------------|--------------|------------|
| 364 | 348*465*765mm      | Brown colour | BW-G1303-1 |

L

## Wardrobe doors section

CEMUX Wardrobe hardware

### Rotating shoe rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width:  $\geq 764$ mm
- Installed internal cabinet height: 1910-2110 mm; 1360-1560mm
- Installed internal cabinet depth:  $\geq 382$  mm
- Package: 1 set  
Frame/carton  
Shoe rack/carton  
Slide/carton

#### Order information

| LW  | Product dimensions  | Description             | Item No.   |
|-----|---------------------|-------------------------|------------|
| 764 | 700*356*1910-2110mm | Brown colour, 12 layers | BW-G503A-1 |
| 764 | 700*356*1360-1560mm | Brown colour, 8 layers  | BW-G503B-1 |

### Pull out trouser rack



- Colour: Brown
- Material: Aluminum
- Installed internal cabinet height:  $\geq 225$  mm
- Installed internal cabinet depth:  $\geq 500$  mm
- Package: 1 set

#### Order information

| LW      | Product dimensions | Description  | Item No.    |
|---------|--------------------|--------------|-------------|
| 864-964 | 864*466*75mm       | Brown colour | BW-G1101A-1 |
| 764-864 | 764*466*75mm       | Brown colour | BW-G1101B-1 |
| 664-764 | 664*466*75mm       | Brown colour | BW-G1101C-1 |
| 564-664 | 564*466*75mm       | Brown colour | BW-G1101D-1 |

## Wardrobe doors section

CEMUX Wardrobe hardware

### Pull out jewellery drawer



- Colour: Brown
- Material: Aluminum
- Installed internal cabinet height:  $\geq 235$  mm
- Installed internal cabinet depth:  $\geq 500$  mm
- Package: 1 set

#### Order information

| LW      | Product dimensions | Description  | Item No.    |
|---------|--------------------|--------------|-------------|
| 864-964 | 864*466*85mm       | Brown colour | BW-G1102A-1 |
| 764-864 | 764*466*85mm       | Brown colour | BW-G1102B-1 |
| 664-764 | 664*466*85mm       | Brown colour | BW-G1102C-1 |
| 564-664 | 564*466*85mm       | Brown colour | BW-G1102D-1 |

### Pull out rattan basket



- Colour: Brown
- Material: Aluminum
- Installed internal cabinet height:  $\geq 308$  mm
- Installed internal cabinet depth:  $\geq 500$  mm
- Package: 1 set

L

#### Order information

| LW      | Product dimensions | Description  | Item No.    |
|---------|--------------------|--------------|-------------|
| 864-964 | 864*466*200mm      | Brown colour | BW-G1103A-1 |
| 764-864 | 764*466*200mm      | Brown colour | BW-G1103B-1 |
| 664-764 | 664*466*200mm      | Brown colour | BW-G1103C-1 |
| 564-664 | 564*466*200mm      | Brown colour | BW-G1103D-1 |



## Wardrobe doors section

CEMUX Wardrobe hardware

### Pull out basket



- Colour: Brown
- Material: Aluminum
- Installed internal cabinet height:  $\geq 308$  mm
- Installed internal cabinet depth:  $\geq 500$  mm
- Package: 1 set

#### Order information

| LW      | Product dimensions | Description  | Item No.    |
|---------|--------------------|--------------|-------------|
| 864-964 | 864*466*158mm      | Brown colour | BW-G1104A-1 |
| 764-864 | 764*466*158mm      | Brown colour | BW-G1104B-1 |
| 664-764 | 664*466*158mm      | Brown colour | BW-G1104C-1 |
| 564-664 | 564*466*158mm      | Brown colour | BW-G1104D-1 |

### Pull out shoe rack



- Colour: Brown
- Material: Aluminum
- Installed internal cabinet height:  $\geq 305$  mm
- Installed internal cabinet depth:  $\geq 500$  mm
- Package: 1 set

#### Order information

| LW      | Product dimensions | Description  | Item No.    |
|---------|--------------------|--------------|-------------|
| 864-964 | 864*466*155mm      | Brown colour | BW-G1106A-1 |
| 764-864 | 764*466*155mm      | Brown colour | BW-G1106B-1 |
| 664-764 | 664*466*155mm      | Brown colour | BW-G1106C-1 |
| 564-664 | 564*466*155mm      | Brown colour | BW-G1106D-1 |

# SECTION M

## APPLIANCES

Oven; Hobs; Microwave; Dishwasher; Fridge Freezer

---



## Appliances

### Oven

#### Single Oven

Single fan oven & grill  
Stainless Steel SO206IX



Single fan oven & grill  
Black SO206BL



\* please contact us for full range & specs of single ovens

#### Double Oven

Built in Catalytic Double oven  
Stainless Steel DOUC415IX



Built UNDER Catalytic Double oven  
Stainless Steel COUC415IX




## Appliances

Hob; Microwave; Fridge Freezer

### Hob

Ceramic

HC604FL 60CM



HCT62FL 60CM



HCT781FL 60CM



Induction Hob

HC1781FL 78cm



\* also available in 60cm

### Microwave

NM825BIX Built in Microwave & grill



### Dishwasher

DF62 Integrated Dishwasher



\* Contact us for full range of integrated and free standing dishwashers

### Fridge Freezer

RFF333DIX+ Free Standing Fridge freezer



RIFF70302NMA+Integrated 70:30 Fridge Freezer



\* contact us for full range of free standing & integrated fridges, freezers & fridge freezers

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.





# LHS

Light Hardware Supplies Ltd

Light Hardware Supplies Ltd.

Kilkeary, Nenagh, Co.Tipperary

|     |  |
|-----|--|
| Tel | 00353 67 31471   |
| Fax | 00353 67 34448   |
| web | <a href="http://www.lighthardwaresupplies.ie">www.lighthardwaresupplies.ie</a> |