



Light Hardware Supplies Ltd. The Essentials Catalogue

Edition 5.0



Company Information

Welcome to Light Hardware Supplies Ltd.
Essentials Catalogue Product Guide
- Issue 5.0

As a major distributor of fittings and products to the kitchen, joinery, D.I.Y. and hardware trade, we stock in excess of 3000 products. With this guide we aim to bring you info and images on some of the most popular product ranges we have.

Light Hardware Supplies Ltd. is a family run independent company, now celebrating 31 years in business. In this time, we have built up an impressive product range, and we are constantly adding to our component portfolio.

We are committed to sourcing and supplying the trades top quality products at competitive prices. Our product development and sourcing programme is worldwide and we import products from all over the world including, the USA, far East, the UAE, Germany, Italy, Portugal, the UK and many more.

Our upmost priority is to our customer service and we pride ourselves on the fact that we have many customers who we have been doing business with for over 30 years. We supply to customers all over Ireland and the UK.

With our own delivery fleet and drivers, we cover every county in Ireland minimum once per week. We use reliable carriage and pallet companies for our UK deliveries. Our customers are our most important asset and we welcome both advise and direction relating to products and service. Our customer base varies from small to medium sized business to large multi-nationals and we are very proud to say that we have always dealt with our customers with respect and gratitude whatever the size.

We would like to take this opportunity to thank all our customers for their continued support.



Light Hardware Supplies Ltd

CONTACT DETAILS

CEMUX
LIVE YOUR LIFE



FUDI
sinks and ideas

Quooker



TOPFORM
Creative Interiors & Solutions



LIGHT HARDWARE SUPPLIES LTD.
E45 F227

KILKEARY, NENAGH, CO.TIPPERARY

We are just 3.5 miles from Nenagh and easily located on the Nenagh to Thurles road, 1 mile from the M7 motorway. Take Exit 25 off the M7, then head toward Thurles for 1 mile and we are on the right.

Tel 00353 67 31471
Fax 00353 67 34448
web www.lighthardwaresupplies.ie

ORDERING

You can place orders via our sales team or direct to LHS:

Email sales@lhs.ie
Fax 00353 67 34448
Tel 00353 67 31471

Contact our office for contact details of the local sales executive for your area.

PAYMENT OPTIONS

We can accept payment via the following methods:

- Cheque
- B.A.C.S. Bank transfer
- Credit/Debit card
- Cash
- Credit accounts are available on request

Items	
HANDLES	Section A
DRAWERS	Section B
STORAGE SOLUTIONS	Section C
SINKS	Section D
TAPS	Section E
EXTRACTOR RANGE	Section F
WORKTOP; TIMBER PRODUCTS & LAQUERS AND PAINTS	Section H
LIGHTING & ELECTRICAL	Section J
GENERAL HARDWARE	Section K
GLIDE WARDROBE DOORS & Accessories	Section L
APPLIANCES	Section M

SECTION A

HANDLE SECTION



Decorative hardware

Handle

**Finesse Bridge Handle**

Code	CC	L	Colour
FF85628BN	128	176	

**Finesse Bowed 'D' Handle**

Code	CC	L	Colour
FF85760BN	160	171	

**Finesse Strap Handle 128**

Code	CC	L	Colour
FF85228BN	128	177	

**Finesse Strap Handle 160**

Code	CC	L	Colour
FF85360BN	160	202	

**Finesse Bow Handle**

Code	CC	L	Colour
FF85460BN	160	209	

**Finesse Knob & Back plate**

Code	Top	Base	Colour
FF85100BN	32	44	

Decorative hardware

Handle



Crystal Glass Knob

Code	D	Colour
FF89030CH	30	
FF89035CH	35	
FF89040CH	40	



Flat Top Crystal Glass Knob

Code	D	Colour
RM1019	40	



Queen Anne Knob

Code	D	Colour
M1003PC	23	
M1004PC	28	



Verona

Code	CC	L	Colour
FF84660	160	178	PE
FF84660	160	178	AN



Bologna

Code	CC	L	Colour
FF84328	128	180	PE
FF84328	128	180	AN



Roma

Code	CC	L	Colour
FF84260	160	192	PE
FF84260	160	192	AN

Decorative hardware

Handle



Milano

Code	CC	L	Colour
FF84560	160	192	PE
FF84560	160	192	AN



Torino

Code	CC	L	Colour
FF84460	160	192	PE
FF84460	160	192	AN



Italia Knob

Code	CC	L	Colour
FF84100	-	38	PE
FF84100	-	38	AN



Titan D 162mm

Code	CC	L	Colour
FF72296	96	62	PE
FF72296	96	62	AN
FF72296	96	62	BK



Titan D 130mm

Code	CC	L	Colour
FF72264	64	130	PE
FF72264	64	130	AN
FF72264	64	130	BK



Titan Latch

Code	CC	L	Colour
FF72664	64	130	PE
FF72664	64	130	AN
FF72664	64	130	BK

Decorative hardware

Handle



Granite D

Code	CC	L	Colour
GRDHANDLE	96	128	BB
GRDHANDLE	96	128	BLK
GRDHANDLE	96	128	SGAL
GRDHANDLE	96	128	TBRN



Granite Drop

Code	CC	L	Colour
GRDROP	160	188	BB
GRDROP	160	188	BLK
GRDROP	160	188	SGAL
GRDROP	160	188	TBRN



Granite T

Code	CC	L	Colour
GRTHANDLE	-	55	BB
GRTHANDLE	-	55	BLK
GRTHANDLE	-	55	SGAL
GRTHANDLE	-	55	TBRN



Granite Knob

Code	D	L	Colour
GR45MMKNOB	45	-	BB
GR45MMKNOB	45	-	BLK
GR45MMKNOB	45	-	SGAL
GR45MMKNOB	45	-	TBRN

Available in:



Baltic Brown (BB)



Black Granite
(BLK)



Star Galaxy (SGAL)



Tan Brown
(TBRN)

Decorative hardware

Handle

**Winchester D**

Code	CC	L	Colour
FF86328	128	152	ANTCR
FF86328	128	152	PEWWH

**Winchester Knob**

Code	CC	L	Colour
FF86200	-	35	ANTCR
FF86200	-	35	PEWWH

**Winchester Drop**

Code	CC	L	Colour
FF86060	160	186	ANTCR
FF86060	160	186	PEWWH

**Winchester T**

Code	CC	L	Colour
FF86100	-	75	ANTCR
FF86100	-	75	PEWWH

**Reeded Iron D**

Code	CC	L	Colour
REEDHANDLE	128	-	BK
REEDHANDLE	128	-	BZ
REEDHANDLE	128	-	PR

**Reeded knob**

Code	CC	L	Colour
REEDKNOB	-	-	BK
REEDKNOB	-	-	BZ
REEDKNOB	-	-	PR

Decorative hardware

Handle



Block T Bar

Code	CC	L	Colour
BLOCKHANDLE 173	-	-	NL
BLOCKHANDLE 225	-	-	NL
BLOCKHANDLE 325	-	-	NL
BLOCKHANDLE 375	-	-	NL
BLOCKHANDLE 425	-	-	NL
BLOCKHANDLE 500	-	-	NL
BLOCKHANDLE 525	-	-	NL
BLOCKHANDLE 645	-	-	NL
BLOCKHANDLE 725	-	-	NL
BLOCKHANDLE 825	-	-	NL
BLOCKHANDLE 925	-	-	NL



T-Bar

Code	CC	L	Colour
BGTBAR 128	-	180	NL
BGTBAR 160	-	210	NL
BGTBAR 256	-	305	NL
BGTBAR 306	-	375	NL
BGTBAR 356	-	426	NL
BGTBAR 430	-	500	NL
BGTBAR 456	-	526	NL
BGTBAR 575	-	645	NL
BGTBAR 128	-	200	BK
BGTBAR 160	-	220	BK
BGTBAR 224	-	304	BK



BG Boss D Handle

Code	CC	L	Colour
BOSSDHANDLE 225	-	-	NL
BOSSDHANDLE 325	-	-	NL
BOSSDHANDLE 525	-	-	NL
BOSSDHANDLE 645	-	-	NL



5891 D

Code	CC	L	Colour
5891	128	-	NL
5891	128	-	BK
5891	128	-	BZ

Decorative hardware

Handle

**Steel screw top**

Code	CC
STEELSCREWHANDLE103	128

**K1400 D Handle**

Code	L	Colour
K1400DHANDLE502	205	NL

**Flat D**

Code	CC	L	Colour
U645224	160	-	NL

**Curved Flat**

Code	CC	L	Colour
U641158	128	-	NL

Decorative hardware

Handle



Bow Handle

Code	CC	L	Colour
BOWHANDLE	128	-	CR
BOWHANDLE	160	-	CR
BOWHANDLE	192	-	CR
BOWHANDLE	220	-	CR
BOWHANDLE	320	-	CR
BOWHANDLE	128	-	BK
BOWHANDLE	160	-	BK



Pewter Diamond D 7372

Code	CC	Colour
7372DIAMOND1675	128	PR



Pewter Diamond Knob 8841

Code	D	Colour
8841DIAMOND1676	40	PR



Spear D

Code	CC	L	Colour
SY91721610	96	-	BK

Decorative hardware

Handle



Traditional Hooded Pull

Code	CC	L	Colour
TRADHOOD	-	65	PR
TRADHOODBR	-	65	BZ



Latch Pull

Code	CC	L	Colour
JOULIOLATCH	65	-	BK
JOULIOLATCH	65	-	BZ



Drawer Pull

Code	CC	L	Colour
JOULIODR	96	-	BK
JOULIODR	96	-	BZ



Large and Small Knob and Backplate

Code	Colour	Remark
JOULIOHDL	BK	Small
JOULIOHDL	BZ	Small
JOULIOHDL	BK	Large
JOULIOHDL	BZ	Large



SISO D

Code	CC	L	Colour
SISO	128	-	BK
SISO	128	-	CR



Thumb Latch

Code	CC	L	Colour
THUMBLATCH	64	-	BK
THUMBLATCH	64	-	BZ
THUMBLATCH	64	-	PR

Decorative hardware

Handle



Bow Drawer

Code	CC	L	Colour
DRAWERBOW 96	96	-	BK
DRAWERBOW 96	96	-	BZ
DRAWERBOW 96	96	-	PR



Latch Pull Designed

Code	CC	Colour
BLKPHANDLE1088	64	Black
BRZLATPULL1500	64	Bronze



Drawer Pull Designed

Code	CC	Colour
BLKDHANDLE1087	64	Black
BRZDRAWPULL1501	62	Bronze



Hammered Steel D Handle

Code	CC	L	Colour
HAMSTEELD	128	-	PR
HAMSTEELD	128	-	BZ



Hammered Steel Knob

Code	D	Colour
HAMSTEELKNOB	40	PR
HAMSTEELKNOB	40	BZ

Decorative hardware

Handle

**Hooded Pull**

Code	CC	L	Colour
HOODED	96	-	PR
HOODED	96	-	BZ

**Fat D Handle**

Code	CC	L	Colour
FAT D	128	-	CR
FAT D	128	-	BK
FAT D	128	-	BZ

**Teflon 756 Knob**

Code	D	Colour
TEFLON7561485	40	CR

**Square A Handle**

Code	CC	L	Colour
SQUAREA	160	-	CR
SQUAREA	320	-	CR

**Knob Fat**

Code	D	Colour
NICKELKNOBNL	40	NL
NICKELKNOBBL	40	BL
NICKELKNOBBZ	40	BZ
NICKELKNOBCR	40	CR

**Dimpled Flat Handle**

Code	CC	L	Colour
DIMPLEDFLAT	128	-	CR

Decorative hardware

Windsor range



Windsor knob

Code	CC	D.	Colour
FF11300CH	-	38	CH



Windsor knob

Code	CC	L	Colour
FF11300BN	-	38	BN



Windsor Cup

Code	CC	L	Colour
FF11364CH	64	97	CH



Windsor Cup

Code	CC	L	Colour
FF11364BN	64	97	BN



Windsor Latch

Code	CC	L	Colour
FF11528CH	128	172	CH



Windsor Latch

Code	CC	L	Colour
FF11528BN	128	172	BN

Decorative hardware
Westminster Range



Square Knob

Code	CC	L	Colour
FF11000PE	-	31	PE



Square Knob

Code	CC	L	Colour
FF11000AN	-	31	AN



D Handle

Code	CC	L	Colour
FF11128PE	128	168	PE



D Handle

Code	CC	L	Colour
FF11128AN	128	168	AN



D Handle

Code	CC	L	Colour
FF11160PE	160	199	PE



D Handle

Code	CC	L	Colour
FF11160AN	160	199	AN

Decorative hardware

Handle



Milano

Code	CC	L	Colour
DIMPLEDSQD	128	-	CR



Dimpled Knob

Code	D	Colour
DIMPLEDKNOB	40	CR



Luxury Polished Chrome handle

Code	CC	L	Colour
MTNLUX	320	-	



Oval knob

Code	L	Colour
OVALKNOBBRUSHED	62	



Brushed Satin Nickel Handle

Code	CC	L	Colour
MTNBH320	320	-	



Berkley D Handle

Code	CC	L	Colour
MTNBERKD	128	-	

Decorative hardware

Handle



Berkley Pull Handle

Code	CC	L	Colour
MTNBERKPULL	96	-	

SECTION B DRAWER & RUNNERS SECTION




www.lga.info
ID 1111227769

CEMUX

CEMUX

CETECH-MOVE

The excellent benefits



*100,000 cycles with 40kg loading tested regarding to standard: EN 15338 and BS6222-2:2009 + A1:2017 Test level H (cutlery drawer)

“Flexible drawer system to meet any requirements”

Drawer range offers flexibility, function and aesthetics with an outstanding running system..



Legend


LW	Internal cabinet width	L	Length	SKL	Length of drawer	X	Thickness of door
NL	Nominal length	KB	Cabinet width	LT	Minimum installation depth	FEC	Front edge of cabinet

A box

Contempo drawer side H84 - A3201



- Contempo wall
- Soft-close
- Full extension
- 84 mm drawer height
- ± 2 mm up & down adjustment;
- ± 1.5 mm left & right adjustment
- Length from 270-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40kg




Components	NL	White	Grey	Package
	270	-	A3201-270G	6 sets
	300	-	A3201-300G	6 sets
	350	-	A3201-350G	6 sets
	400	-	A3201-400G	6 sets
	450	-	A3201-450G	6 sets
	500	-	A3201-500G	6 sets
	550	-	-	6 sets

A box

Contempo drawer side with square rail H199 - A3204



- Contempo wall
- Soft-close
- Full extension
- 199 mm drawer height
- ± 2 mm up & down adjustment;
- ± 1.5 mm left & right adjustment
- Length from 270-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40kg




Components	NL	White	Grey	Package
	270	-	-	6 sets
	300	-	-	6 sets
	350	-	-	6 sets
	400	-	-	6 sets
	450	-	A3204-450G	6 sets
	500	-	A3204-500G	6 sets
	550	-	-	6 sets


A box

Contempo drawer side with glass panel H199 - A3244




- Contempo wall
- Soft-close
- Full extension
- 199 mm drawer height
- ± 2 mm up & down adjustment;
- ± 1.5 mm left & right adjustment
- Length from 350-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40kg



Components	NL	Frosted		Package
		White	Grey	
	270	-	-	-
	300	-	-	-
	350	-	-	6 sets
	400	-	-	6 sets
	450	-	A3244-450GF	6 sets
	500	-	A3244-500GF	6 sets
	550	-	-	6 sets

A box

Inset drawer accessories for H84




Order information

1. Front panel - normal aluminum
* DIY cut : Length = LW-90



L	White	Grey
1200	-	AL321200G


2. Inset drawer front bracket left/right
(for inset drawer H84)



	White	Grey
	-	AH320101G

A box

Inset drawer accessories for H199



Order information

1. Front panel - normal aluminum
* DIY cut : Length = LW-90



L	White	Grey
1200	-	AL321200G

2. Inset drawer front bracket left/right
(for inset drawer H199 with square rail)



	White	Grey
	-	AF320401G

3. Front square rail
* DIY cut : Length = LW-92




L	White	Grey
1200	-	HF321200G


H box

Drawer H84 - H1301



- Slim wall
- Soft-close
- Full extension
- 84 mm drawer height
- ± 2 mm up & down adjustment;
- ± 1.5 mm left & right adjustment
- Length from 270-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG




Components	NL	White	Grey	Package
	270	-	H1301-270G	6 sets
	300	-	H1301-300G	6 sets
	350	-	H1301-350G	6 sets
	400	-	H1301-400G	6 sets
	450	H1301-450W	H1301-450G	6 sets
	500	H1301-500W	H1301-500G	6 sets
	550	-	-	6 sets


H box

Drawer H167 - H1303



- Slim wall
- Soft-close
- Full extension
- 167 mm drawer height
- ± 2 mm up & down adjustment;
- ± 1.5 mm left & right adjustment
- Length from 270-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG




Components	NL	White	Grey	Package
	270	-	-	5 sets
	300	-	-	5 sets
	350	-	H1303-350G	5 sets
	400	-	H1303-400G	5 sets
	450	-	H1303-450G	5 sets
	500	-	H1303-500G	5 sets
	550	-	-	5 sets

H box

Drawer H199 - H1304



- Slim wall
- Soft-close
- Full extension
- 199 mm drawer height
- ± 2 mm up & down adjustment;
- ± 1.5 mm left & right adjustment
- Length from 270-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG




Components	NL	White	Grey	Package
	270	-	-	4 sets
	300	-	-	4 sets
	350	-	-	4 sets
	400	-	H1304-400G	4 sets
	450	-	H1304-450G	4 sets
	500	H1304-500W	H1304-500G	4 sets
	550	-	-	4 sets

H box

Drawer glass side H84 - H1311



- Slim glass wall
- Soft-close
- Full extension
- 84 mm drawer height
- ± 2 mm up & down adjustment;
- ± 1.5 mm left & right adjustment
- Length from 350-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG




Components	NL	White	Grey	Package
	270	-	-	6 sets
	300	-	-	6 sets
	350	-	-	6 sets
	400	-	-	6 sets
	450	-	H1311-450G	6 sets
	500	-	H1311-500G	6 sets
	550	-	-	6 sets


H box

Drawer glass side H167 - H1313



- Slim glass wall
- Soft-close
- Full extension
- 167 mm drawer height
- ± 2 mm up & down adjustment;
- ± 1.5 mm left & right adjustment
- Length from 350-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG




Components	NL	White	Grey	Package
	270	-	-	6 sets
	300	-	-	6 sets
	350	-	-	6 sets
	400	-	-	6 sets
	450	-	H1313-450G	6 sets
	500	-	H1313-500G	6 sets
	550	-	-	6 sets


H box

Drawer glass side H199 - H1314




- Slim glass wall
- Soft-close
- Full extension
- 199 mm drawer height
- ± 2 mm up & down adjustment;
- ± 1.5 mm left & right adjustment
- Length from 350-550mm
- Cycles with loading 40kg is 100,000
- Loading capacity is 40 KG



Components	NL	White	Grey	Package
	270	-	-	6 sets
	300	-	-	6 sets
	350	-	-	6 sets
	400	-	-	6 sets
	450	-	H1314-450G	6 sets
	500	-	H1314-500G	6 sets
	550	-	-	6 sets


H box

Inset drawer accessories for H84



Order information

1. Front panel - normal aluminum
* DIY cut : Length = LW-100



L	White	Grey
1200	-	H1321200G


2. Inset drawer front bracket left/right



	White	Grey
	-	H130200G


H box

Inset drawer - Front panel and H54 glass for drawer H84



Order information

1. Front panel - low aluminum
* DIY cut : Length = LW-100




L	White	Grey
1200	-	H1331200G

2. Inset drawer front bracket left/right



	White	Grey
	-	H131200G


3. Front H54 glass panel



KB	Frosted	Transparent
600	H1410476F	-
800	H1410676F	-
900	H1410776F	-

H box

Inset drawer - Front panel and rail for drawer H167



Order information

1. Front panel - normal aluminum
* DIY cut : Length = LW-100



L	White	Grey
1200	-	H1321200G

2. Inset drawer front bracket left/right



	White	Grey
	-	H130500G


3. Front square rail
* DIY cut : Length = LW-88



L	White	Grey
1200	-	HF321200G


H box

Inset drawer - Front panel and rail for drawer H199



Order information

1. Front panel - normal aluminum
* DIY cut : Length = LW-100



L	White	Grey
1200	-	H1321200G

2. Inset drawer front bracket left/right



	White	Grey
	-	H130800G


3. Front square rail
* DIY cut : Length = LW-88



L	White	Grey
1200	-	HF321200G


H box

Inset drawer - Front panel and H102 glass for drawer glass side H199



Order information

1. Front panel - low aluminum
* DIY cut : Length = LW-100




L	White	Grey
1200	-	H1331200G

2. Inset drawer front bracket left/right



	White	Grey
	-	H130600G

3. Front H102 glass panel



KB	Frosted	Transparent
600	H1390476F	-
800	H1390676F	-
900	H1390776F	-

R drawer slide - R113 (Synchronised motion)

Soft-close & push-open; Full extension; 3-D adjustment; 16mm drawer

B



- Soft-close & push-open
- Full extension
- Galvanized sheet
- Loading capacity is 25 KG
- Length from 350-700mm
- 1-3mm height adjustment
- ± 2 mm right/left adjustment
- 1-5mm depth adjustment on slide

Order information

NL	Item No.	Package	Remark
350	R113-350	6 sets	Package includes A. Left & right drawer slide B. Locking devices
400	R113-400	6 sets	
450	R113-450	6 sets	
500	R113-500	6 sets	
550	R113-550	6 sets	
600	R113-600	6 sets	
650	R113-650	6 sets	
700	R113-700	6 sets	

* For 18mm drawer, please contact us for more information

Optional accessories

Stabilisation set

For cutting to size



L	Item No.	Package	Remark
600	R1130600	6 sets	

For drawer width ≥ 1200 mm, please choose this synchronisation rail

R drawer slide - R213 (Synchronised motion)

Soft-close; Full extension; 3-D adjustment; 16mm drawer



- Soft-close
- Full extension
- Galvanized sheet
- Loading capacity is 25 KG
- Length from 250-700mm
- 1-3mm height adjustment
- ±2mm right/left adjustment
- 1-5mm depth adjustment on slide

Order information

NL	Item No.	Package	Remark
250	R213-250	10 sets	Package includes A. Left & right drawer slide B. Locking devices
300	R213-300	10 sets	
350	R213-350	10 sets	
400	R213-400	10 sets	
450	R213-450	10 sets	
500	R213-500	10 sets	
550	R213-550	10 sets	
600	R213-600	10 sets	
650	R213-650	10 sets	
700	R213-700	10 sets	

* For 18mm drawer, please contact us for more information

R drawer slide - R312 (Synchronised motion)

Push-open; Full extension; 2-D adjustment; 16mm drawer



- Push-open
- Full extension
- Galvanized sheet
- Loading capacity is 25 KG
- Length from 250-700mm
- 1-3mm height adjustment
- ±2mm right/left adjustment

Order information

NL	Item No.	Package	Remark
250	R312-250	10 sets	Package includes A. Left & right drawer slide B. Locking devices
300	R312-300	10 sets	
350	R312-350	10 sets	
400	R312-400	10 sets	
450	R312-450	10 sets	
500	R312-500	10 sets	
550	R312-550	10 sets	
600	R312-600	10 sets	
650	R312-650	10 sets	
700	R312-700	10 sets	

* For 18mm drawer, please contact us for more information

BB drawer slide - BB01

45mm; Full extension; Soft-close & push-open



- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-750mm
- Material thickness: 1.5x1.2x1.2mm

NL	Item No.	Package	Remark
250	BB01-250	15 sets	Package includes * Left & right drawer slide
300	BB01-300	15 sets	
350	BB01-350	15 sets	
400	BB01-400	15 sets	
450	BB01-450	15 sets	
500	BB01-500	15 sets	
550	BB01-550	15 sets	
600	BB01-600	15 sets	
650	BB01-650	15 sets	
700	BB01-700	15 sets	
750	BB01-750	15 sets	

BB drawer slide - BB02

45mm; Full extension; Soft-close



- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-700mm
- Material thickness: 1.5x1.2x1.2mm

NL	Item No.	Package	Remark
250	BB02-250	15 sets	Package includes * Left & right drawer slide
300	BB02-300	15 sets	
350	BB02-350	15 sets	
400	BB02-400	15 sets	
450	BB02-450	15 sets	
500	BB02-500	15 sets	
550	BB02-550	15 sets	
600	BB02-600	15 sets	
650	BB02-650	15 sets	
700	BB02-700	15 sets	

BB drawer slide - BB03

45mm; Full extension; Push-open



- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-750mm
- Material thickness: 1.5x1.2x1.2mm

NL	Item No.	Package	Remark
250	BB03-250	15 sets	Package includes * Left & right drawer slide
300	BB03-300	15 sets	
350	BB03-350	15 sets	
400	BB03-400	15 sets	
450	BB03-450	15 sets	
500	BB03-500	15 sets	
550	BB03-550	15 sets	
600	BB03-600	15 sets	
650	BB03-650	15 sets	
700	BB03-700	15 sets	

BB drawer slide - BB04

45mm; Full extension;



- Material: cold-rolled steel
- Slide width: 45mm
- Slide thickness: 12.7mm
- Max load: 30 KG
- Length from 250-750mm
- Material thickness: 1.5x1.2x1.2mm

NL	Item No.	Package	Remark
250	BB04-250	15 sets	Package includes * Left & right drawer slide
300	BB04-300	15 sets	
350	BB04-350	15 sets	
400	BB04-400	15 sets	
450	BB04-450	15 sets	
500	BB04-500	15 sets	
550	BB04-550	15 sets	
600	BB04-600	15 sets	
650	BB04-650	15 sets	
700	BB04-700	15 sets	

Bottom mount single extension runners

25KG; epoxy powder coated



NL	Item No.	Remark
250	DRAWERRUNCH1917	Package includes * Left & right drawer slide
300	DRAWERRUNCH1918	
350	DRAWERRUNCH1919	
400	DRAWERRUNCH1920	
450	DRAWERRUNCH1921	
500	DRAWERRUNCH1922	
550	DRAWERRUNCH1923	
600	DRAWERRUNCH1924	

Meta box

25KG; bottom mount; single extension



NL	Item No.	Remark
450	DRAWERRUNCH1917	86mm height
450	DRAWERRUNCH1918	118mm height
450	DRAWERRUNCH1919	150mm height
500	DRAWERRUNCH1920	150mm height

Plastic cutlery inserts

Injection molded top quality plastic inserts



KB	Item No.
300	ECTANCUT300
400	ECTANCUT400
450	ECTANCUT450
500	ECTANCUT500
600	ECTANCUT600
800	ECTANCUT800
900	ECTANCUT900
1000	ECTANCUT1000

Beech peg board

Can be cut to any size.



NL	Item No.	Remark
800	BEECHBOARD1606	Each set includes 14 pegs
900	BEECHBOARD1604	
1000	BEECHBOARD1605	

Exclusive Dovetail Drawer Range

- Expertly machined dovetail drawers available in Oak , Beech & Walnut.
- Dovetailed joints on all 4 corners.
- Available in both standard and inframe sizes.



Standard Drawer
in Oak.



Rebated Drawer
in Beech.



Detail of Beech
drawer showing machined
cutouts for drawer runners.



Shaped Drawer
in Oak.


L bins system

Waste bin system

Item no. MWBD40035G




- For cabinet 400mm width drawer
- For cabinet 500mm depth drawer
- 1 plastic waste bins - 35L
- Grey colour
- 570mm height
- 362-368mm width
- 506mm depth



Item no. MWBD45054G




- For cabinet 450mm width drawer
- For cabinet 500mm depth drawer
- 2 plastic waste bins - 27Lx2
- Grey colour
- 570mm height
- 412-418mm width
- 506mm depth



Item no. MWBD60070G



- For cabinet 600mm width drawer
- For cabinet 500mm depth drawer
- 2 plastic waste bins - 35Lx2
- Grey colour
- 570mm height
- 562-568mm width
- 506mm depth




* Above bins require a 500mm deep A box or H box drawer

Item no. MWBB40040SG



- For cabinet 400mm width
- For cabinet 495mm internal depth drawer
- 2 plastic waste bins - 20Lx2
- Grey colour
- 430mm height
- 342mm width
- 490mm depth



L bins system

Laundry bin system

B

Item no. MWBN40014G




- For cabinet 400mm width
- 1 plastic waste bins - 14L
- Chrome polish
- 320mm height
- 360mm width
- 320mm depth



Item no. MLBD45048W




- For cabinet 450mm width drawer
- For cabinet 500mm depth drawer
- 1 plastic waste bins - 48L
- White colour
- 545mm height
- 412-418mm width
- 506mm depth



Item no. MLBD60070W



- For cabinet 600mm width drawer
- For cabinet 500mm depth drawer
- 2 plastic waste bins - 35Lx2
- White & blue colour
- 570mm height
- 562-568mm width
- 506mm depth



* Above laundry bins require a 500mm deep A box or H box drawer

Waste bin system

SIGE bins

Item no. SIGE400EURO



- For cabinet 400mm width
- 2 plastic waste bins - 20LX2
- Integrated lid
- Soft-close full extension undermounted runners

Item no. SIGE450EURO



- For cabinet 450mm width
- 2 plastic waste bins - 35LX2
- Integrated lid
- Soft-close full extension undermounted runners

Item no. SIGE500EURO



- For cabinet 500mm width
- 2 plastic waste bins - 35LX2
- Integrated lid
- Soft-close full extension undermounted runners

Item no. SIGE600EURO



- For cabinet 600mm width
- 4 plastic waste bins - 25LX2; 17LX2
- Integrated lid
- Soft-close full extension undermounted runners

Waste bin system

Under sink bins

B

Item no. ECBIN18



- For cabinet 450mm width
- 2 plastic waste bins - 15LX2
- Option of independent or door mounting
- Soft closing full extension heavy duty runners
- 490mm depth
- 313mm height

SECTION C


KITCHEN STORAGE SECTION



Basket unit
Pull-out basket




- Cabinet width: 600mm; 700mm; 750mm; 800mm; 900mm
- Installed height: ≥650 mm
- Installed depth: ≥550 mm
- Package: 1 set
- Including:
 - 1 pc basket
 - 1 set slides
 - 1 set slide connectors
 - 1 set door connectors
 - 1 set cover caps



C

Components



Order information


KB	Product dimensions	Description	Item No.
600	529*451.5*128mm	Soft-close	SBP01600G
800	729*451.5*128mm	Soft-close	SBP01800G
900	829*451.5*128mm	Soft-close	SBP01900G

Base unit


Side slim pull-out basket



- Cabinet width: 150mm; 200mm
- Installed height: ≥ 650 mm
- Installed depth: ≥ 500 mm
- Package: 1 set
- Including:
 - 1 set basket with frame
 - 1 set slides



Components



Order information


KB	Product dimensions	Description	Item No.
150	95*455*543mm	Left hand side mounted; soft-close	SBP03150GL
150	95*455*543mm	Right hand side mounted; soft-close	SBP03150GR

Base unit

Two tier storage basket



- Cabinet width: 300mm; 400mm
- Installed height: ≥650 mm
- Installed depth: ≥500 mm
- Package: 1 set
- Including:
 - 1 set basket with frame
 - 1 set slides



C



Order information


KB	Product dimensions	Description	Item No.
300	243*473*502mm	Slide on the bottom mounted	SBP03300G
400	343*473*502mm	Slide on the bottom mounted	SBP03400G

Base unit

Side pull-out basket



- Cabinet width: 200mm; 300mm
- Installed height: ≥ 650 mm
- Installed depth: ≥ 550 mm
- Package: 1 set
- Including:
 - 1 set frame with door connector
 - 2 pcs storage basket



Components



Order information



KB	Product dimensions	Description	Item No.
300	243*473*502mm	Left hand side mounted; soft-close	SBP02300GL
300	243*473*502mm	Right hand side mounted; soft-close	SBP02300GR

Corner unit

Corner swing-out basket




- Cabinet width: 900mm
- Installed height: ≥ 650 mm
- Installed depth: ≥ 500 mm
- Package: 1 set
- Including:
 - 2 pcs storage basket
 - 1 set side holder
 - 1 set middle holder
 - 1 pc middle holder fittings
 - 2 sets side holder arm
 - 2 sets middle holder arm



C

Components



Order information


KB	Product dimensions	Description	Item No.
900	864-964*500*530mm	Left handed door; soft-close	SCS02900GL
900	864-964*500*530mm	Right handed door; soft-close	SCS02900GR

Corner unit


Magic swing-out corner (Both left & right)



- Cabinet width: 900mm
- Installed height: ≥ 650 mm
- Installed depth: ≥ 550 mm
- Package: 1 set
- Including:
 - 1 set rear frame kit
 - 1 set side frame kit
 - 1 set linkage
 - 2 sets door connector
 - 1 set door reinforcement connectors
 - 2 pcs rear baskets
 - 2 pcs front baskets



Components



Order information

KB	Product dimensions	Description	Item No.
900	864-964*500*530mm	Left & right handed door; soft-close	SCS01900G


Corner unit

Magic pull-out corner (Both left & right)

Optimiser




- Cabinet width: 900mm
- Installed height: ≥650 mm
- Installed depth: ≥550 mm
- Package: 1 set
- Including:
 - 1 set frame
 - 1 set bottom frame
 - 2 set holders
 - 2 pcs rear baskets
 - 2 pcs front baskets
 - 1 pc limit



C

Components



Order information


KB	Product dimensions	Description	Item No.
900	607*503*613mm	Left & right handed door; soft-close	SCP01900G

Larder unit


Tall pull-out basket



- Cabinet width: 300mm; 400mm
- Package: 1 set
- Including:
 - 4/5/6 pcs baskets
 - 4/5/6 basket connector
 - 1 pc reinforcement bracket
 - 2 pcs door connector
 - 1 pc frame
 - 1 pc top rail
 - 1 pc bottom rail



Components



Order information



KB	Product dimensions	Description	Item No.
300	100*490*1770-2070mm	5 layer basket; soft-close	STP025300G
300	100*490*1970-2270mm	6 layer basket; soft-close	STP016300G
400	100*490*1770-2070mm	5 layer basket; soft-close	STP025400G
400	100*490*1970-2270mm	6 layer basket; soft-close	STP016400G

Larder unit

Tall swing-out basket




- Cabinet width: 450mm; 600mm
- Package: 1 set
- Including:
 - 1 set slides
 - 3 sets cover clip
 - 1 set “L” plate
 - 2 pcs connect bar
 - 1 set door frame
 - 1 pc main frame
 - 3/4/5/6 pcs rear basket
 - 3/4/5/6 pcs door basket



C

Components



Order information

KB	Product dimensions	Description	Item No.
450	410*490*850mm	4 layer basket; soft-close	STW014450G
450	410*490*1700mm	6 layer basket; soft-close	STW016450G
600	560*490*850mm	4 layer basket; soft-close	STW014600G
600	560*490*1700mm	6 layer basket; soft-close	STW016600G

Corner unit

3/4 Carousel & 1/2 Carousel



- Ht adjustable telescopic pole
- Load capacity 20KG
- Baskets can be repositioned



- Solid Base 3/4 Carousel
- Unit size: 900mm
- Diameter: 710mm

Diameter	Description	Item No.
700	3/4 carousel	3/4CAROUSEL700
770	3/4 carousel	3/4CAROUSEL770
750	1/2 carousel	1/2CAROUSEL750
850	1/2 carousel	1/2CAROUSEL850
900	1/2 carousel	1/2CAROUSEL820
710	3/4 carousel; Solid base	ECIPCC390

Base unit

Pull-out wire basket



- European made chrome finished baskets with top grade stainless steel
- 10 Year manufacturers warranty
- Easy fix clip on basket system including ball bearing full extension runners
- Load capacity 35Kg

KB	Product dimensions	Item No.
300	D460*H135mm	EC4300
400	D460*H135mm	EC4400
450	D460*H135mm	EC4450
500	D460*H135mm	EC4500
600	D460*H135mm	EC4600
800	D460*H135mm	EC4800
900	D460*H135mm	EC4900
1000	D460*H135mm	EC4100

Base unit

Pull-out wicker basket



- Integrated handle for easy pull out
- Basket easily removed for cleaning
- Solid beech surround and runners

C

KB	Product dimensions	Item No.
400	D450*H220mm	WICKERBASKETA2238
500	D450*H220mm	WICKERBASKETA2239
600	D450*H220mm	WICKERBASKETA2240

Base unit

Spice racks



KB	Product dimensions	Item No.
400	Door mounted; 3 Tier	SPICE3TIER400
450	Door mounted; 3 Tier	SPICE3TIER450

SECTION D

SINK SYSTEM

SECTION



RODI

- >Portugese manufactured sinks with highest quality stainless steel
- >0.8mm steel used in every sink
- >10 year manufacturers guarantee on all products
- >ISO 9001:2008 OHSAS A8001

RAK


- >Fired at an intense heat to fuse the glaze, this durable, non-porous material produces a glossy, hard surface, finished in a luxurious white.
- RAK is ISO 9001 : 2008 & ISO 14001 : 2004 certified.

- >All RAK Sinks come with full waste kit,overflow kit and cap INCLUDED.

NERO

IDE

Repa
enore



IDEIAS FRESCAS PARA A SUA COZINHA.

Olhe com atenção e descubra as soluções Rodi para o lava-louças da sua cozinha. Preste atenção nos detalhes, nos acabamentos, na variedade e na elegância do design. São pequenos pormenores que vão mudar a sua forma de estar e de ver as coisas na sua cozinha. Inspire-se com Rodi.

www.rodi.pt

RODI
kitchen sinks and ideas

Sink - RODI

Single bowl inset sink

RODI
sinks and ideas

Item no. RHODESSBDSINK



- External measure: 860X500mm
- Bowl measure: 340X400mm
- For 450mm cabinet width
- 170mm depth

Item no. OKIO80PLUS



- External measure: 800X500mm
- Bowl measure: 340X400mm
- For 400mm cabinet width
- 200mm depth

Item no. ROVIGOFLAT



- External measure: 780X435mm
- Bowl measure: 340X400mm
- For 400mm cabinet width
- 145mm depth

Item no. OKIO65FLAT



- External measure: 650X500mm
- Bowl measure: 340X400mm
- For 400mm cabinet width
- 200mm depth

Sink - RODI

Single bowl inset sink

RODI
sinks and ideas

Item no. SEMIDUETOSINK



- External measure: 847X444mm
- Bowl measure: 367mm
- For 450mm cabinet width
- 145mm depth

D

Item no. EVO105



- External measure: 1000X500mm
- Bowl measure: 450X400mm
- For 250mm cabinet width
- 600mm depth

Item no. PIOREDONDOSBSINK



- External measure: 510mm
- Bowl measure: 390mm
- For 600mm cabinet width
- 175mm depth

Item no. PIOMITHUSSBSINK



- External measure: 420mm
- Bowl measure: 385mm
- For 450mm cabinet width
- 175mm depth

Sink - RODI

1 & 1/2 bowl inset sinks

RODI
sinks and ideas

Item no. OKIO1.5BOWLSINK



- External measure: 1000X500mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 160X300mm
- For 600mm cabinet width
- 175/90mm depth

Item no. OKIO100PLUS



- External measure: 1000X500mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 146X296mm
- For 600mm cabinet width
- 200/150mm depth

Item no. OKIOLINE120FLAT



- External measure: 1200X500mm
- Bowl measure: 340X400mm X2
- For 800mm cabinet width
- 170mm depth

Item no. EVO100



- External measure: 1000X500mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 146X296mm
- For 600mm cabinet width
- 250mm depth

Sink - RODI
Undermounted sink

RODI
sinks and ideas

Item no. RODIUNDMOUNT1.5



- External measure: 572X450mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 146X296mm
- For 600mm cabinet width
- 150/200mm depth

D

Item no. RODILHDUO60 Left hand

Item no. RODIRHDUO60 Right hand



- External measure: 572X450mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 146X296mm
- For 600mm cabinet width
- 200/150mm depth

Item no. RODIRHDUO80



- External measure: 765X450mm
- Bowl measure: 340X400mm X2
- For 900mm cabinet width
- 200mm depth

Item no. RODILHDUO90 Left hand

Item no. RODIRHDUO90 Right hand



- External measure: 755X450mm
- Bowl measure LG: 340X400mm
- Bowl measure SM: 330X330mm
- For 900mm cabinet width
- 200mm depth

Item no. PIASINGULARUMSINK



Singular

- External measure: 168X318mm
- Bowl measure: 146X296mm
- For 200mm cabinet width
- 150mm depth

Item no. PIABRASILIAUMSINK



Brasilia

- External measure: 380X440mm
- Bowl measure: 340X400mm
- For 400mm cabinet width
- 200mm depth

Item no. PIABAHIAUMSINK



Bahia

- External measure: 440X440mm
- Bowl measure: 400X400mm
- For 450mm cabinet width
- 200mm depth

Item no. PIABELEMUMSINK



Belem

- External measure: 540X440mm
- Bowl measure: 500X400mm
- For 600mm cabinet width
- 200mm depth

Item no. PIINDUS40SINK



Indus 40

- External measure: 440X440mm
- Bowl measure: 400X400mm
- For 450mm cabinet width
- 250mm depth

Item no. PIINDUS50SINK



Indus 50

- External measure: 535X535mm
- Bowl measure: 500X500mm
- For 600mm cabinet width
- 300mm depth


Item no. PIAMITHUSRUMSINK




PIA MITHUS

- External measure: 420mm
- Bowl measure: 385mm
- For 450mm cabinet width
- 175mm depth

Item no. SMART SINGLE BOWL SRX61186



- Smart Single Bowl SRX61186
- Stainless Steel
- Inset Installation
- External measure: 860X500mm
- For 450mm cabinet width




D

Item no. SMART BOWL & 1/2 SRX651



- Smart Bowl & 1/2 SRX651
- External measure: 1000X500mm
- For 500mm cabinet width



Item no. RENO SINGLE BOWL RENO611



- Reno Single Bowl RENO611
- Reversible Drainer
- External measure: 860X500mm
- Bowl measure: 345X395X160mm
- 0.6mm thickness
- Rounded edges
- 50 year guarantee

Item no. FRANKEASCONA15




- Reno Bowl & half RENO651
- Reversible Drainer
- External measure: 1000X500mm
- Bowl measure: 450X395X160mm
- Bowl measure SM: 170X320X80mm
- 0.6mm thickness
- Rounded edges
- 50 year guarantee

Item no. APOLLO946SINGLEBOWLSINK




- Apollo 946 Single bowl sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 860X500mm
- Bowl measure: 350X400X160mm



Item no. ATHENA 9481.5BOWLSINK




- Athena 948 1.5 bowl sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 1000X500mm
- Bowl measure LG: 350X400X160mm
- Bowl measure SM: 165X295X130mm



Item no. ARES 984 UNDERMOUNTED 1.5 BOWL SINK




- Ares 984 Undermounted 1.5 bowl sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 580X440mm
- Bowl measure LG: 340X400X185mm
- Bowl measure SM: 170X300X170mm



Item no. ARTEMISMEDIUM884UNDERMOUNTEDSINK



- Artemis Medium 884 undermounted sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 390X450mm
- Bowl measure: 340X400X185mm



Item no. ARTEMISL885UNDERMOUNTEDSINK



- Artemis L 885 undermounted sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 450X450mm
- Bowl measure: 400X400X190mm



D

Item no. ARTEMISXL662UNDERMOUNTEDSINK




- Artemis XL 662 undermounted sink
- Polished
- Reversible
- SUS304# Stainless Steel
- External measure: 550X450mm
- Bowl measure: 500X400X200mm




Sink - RAK

Sink


Item no. RAKBELFAST




Item no. RAKDOUBLEBOWL



Item no. RAKSBSDGOURMET100



Item no. RAK1.5GOURMET



Sink - RAK

Sink



Item no. DSINK2



- External measure: 1010mm x 510mm x 220mm
- Bowl measure: 470mm x 340mm

D

Item no. DSINK1



- External measure: 1010mm x 510mm x 220mm
- Bowl measure LG: 470X340mm
- Bowl measure SM: 140X340mm

Item no. RAKSINK6



Item no. RAKSINK7



Both Gourmet sink 6 & 7 can be used overmounted & undermounted.





SECTION E

TAP SECTION



Tap

New kitchen tap range

✱ Nero

Item no. MCEKT004



Contemporary Top Lever

- Material: Brass
- Finish: Chrome
- Min. bar pressure: 0.1-0.3 bar
- Cut out: 35mm
- Height: 110mm
- Reach: 250mm
- Valve type: Ceramic

Item no. KIT600



Classic Dual Lever 1/4 Turn

- Material: Brass
- Finish: Chrome
- Min. bar pressure: 0.1-0.3 bar
- Cut out: 35mm
- Height: 240mm
- Reach: 255mm
- Valve type: Brass

Item no. KIT009



Traditional Belfast Dual Lever

- Material: Brass
- Finish: Chrome
- Min. bar pressure: 0.1-0.3 bar
- Cut out: 35mm
- Height: 345mm
- Reach: 190mm
- Valve type: Brass

Item no. KIT301



Prima Dual Lever Swan Neck

- Material: Brass
- Finish: Chrome
- Min. bar pressure: 0.1-0.3 bar
- Cut out: 35mm
- Height: 360mm
- Reach: 255mm
- Valve type: Brass

Item no. KIT225



Staten Dual Lever Swan Neck

- Material: Brass
- Finish: Chrome
- Min. bar pressure: 0.1-0.3 bar
- Cut out: 35mm
- Height: 375mm
- Reach: 247mm
- Valve type: Brass

Tap

New kitchen tap range



Item no. FRANKE ASCONA



E

½" Ceramic Disc Valves

- Surface-Mounted with Swivel Spout
- Modern Design
- Built-In Aerator
- Suitable for High Pressure Systems
- 1 Year Guarantee

Tap

New kitchen tap range



**MADE IN ITALY
WITH LOVE IT**

Bronze

VICARIOTAPRETROB



Chrome

VICARIOTAPDECK



Chrome

VICARIOTAPMIX30



Chrome

VICARIOTAPMIX3T



Chrome

VICARIOTAPMIX35D



Chrome

MIX4000TAP



Chrome

VICARIOTAPRIALTO



Chrome

VICARIOTAPROGER



Brushed

VICARIOTAPROGB

* Contact us for full range of spec



Boiling Water Tap

LHS has been a wholesdale distributor of the Quooker boiling water taps for the past 8 years
As an official Quooker distributor, we stock an extensive range of the taps and aecessories.



E

- Quooker invented the boiling-water tap and has been in business for more than 30 years.
- Thanks to its patented high-vacuum insulation, Quooker is the most economical boiling water system on the market.
- The world's first and only 100°C boiling-water tap using patented stainless steel vacuum flask technology
- When equipped with the new CUBE will provide 100°C boiling, cold, hot, and now filtered chilled and sparkling water. The only tap in the world to offer this combination.
- Quooker is the only manufacturer to use a water filter in all its tanks (HiTAC® water filter).
- Quooker is the only manufacturer with height-adjustable boiling-water taps.
- The Quooker system is easy to maintain and repair.
- Quooker includes a wide selection of taps.
- More than 800,000 European households already have a Quooker.
- Quooker has more than forty patents.
- Quooker is a Dutch manufacturer.

Choose your tap

Quooker®



Fusion Round Polished Chrome

Also available in following finishes

- * Stainless Steel
- * Black
- * Patinated Brass
- * Gold



Fusion Square Stainless Steel

Also available in following finishes

- * Polished Chrome
- * Black
- * Patinated Brass
- * Gold



Flex Black (Pull out flexible hose)

Also available in following finishes

- * Polished Chrome
- * Stainless steel



Choose your tap

Quooker®



Fusion Classic Square Nickel

Also available in following finishes

* Polished Chrome

* Stainless steel

* Patinated Brass



Nordic Square Twin taps Polished Chrome
(also available in Round)

Also available in following finishes

* Stainless steel



Nordic Round Single Tap Polished Chrome
(also available in square)

Also available in following finishes

* Stainless steel



Nordic Classic Square Single Tap Nickel

Also available in following finishes

* Polished Chrome

* Stainless steel



E

Tank



Pro 3

3 litre Tank

this is the most popular choice for households. Instant access to 3 litres of boiling water.



Combi

7 litre Tank

The combi gives you instant access to 7 litres of boiling water, and also provides access to hot water from the tank.

(also available in 7 litre Pro7)

Cube



Equipped with a CUBE the Quooker tap provides filtered chilled and sparkling water alongside 100°C boiling, cold and hot water.

All from one tap!

The tap that does it all offers all the familiar advantages of a Quooker. It delivers water at true 100°C, saves time, water, energy and space and now also means you no longer need to buy plastic bottled water. Great for the environment!

The childproof double push-and-turn handle, insulated spout and fine aerated spray ensure no risk of scalding or burning.

You can now enjoy a glass of refreshingly filtered chilled water or make delicious lemonades and cocktails with that added sparkle!

Cold water filter



The cold water filter has been designed to allow you to quickly switch from tap water to cold filtered water.

The Quooker tap supplies cold filtered water via a single push and turn which engaged will light the tap ring blue.

The water passes through an activated-carbon filter which ensures the water tastes and smells better. The filter is easy to replace and must be changed at six monthly intervals.

(not required if you choose a Cube, as it comes as part of the Cube)

Scale Control Plus



The Scale Control Plus has been developed to lengthen the lifespan of your Quooker by reducing the water hardness. It is the most reliable descaling solution for the Quooker and improves the taste of the Quooker water

Nordic Soap Dispenser



Available in
 *Polished Chrome
 *Stainless Steel
 *Black
 *Patinated Brass
 *Gold

KAELO

The Integrated Wine cooler



Kaelo is an integrated wine cooler that keeps your wine perfectly chilled once you've opened the bottle. Kaelo can be built into nearly any surface and offers a fun, effortless and beautiful way to serve and enjoy wine, champagne, water and soft drinks.

E

Perfectly Chilled

Take a cold bottle from the fridge, put it in your Kaelo and touch the crown. That's all you need to do. Kaelo will maintain your wine to within 1-2°C of the opening temperature, from the first glass to the last.

Innovative technology

Our patented cooling system, Kryolux™, creates a jacket of cold air which wraps around the bottle, keeping the wine perfectly chilled and the bottle totally dry. Adapted from military and medical technology, Kryolux™ is hyper-efficient meaning Kaelo gets super-cold in seconds yet only uses the same power as a 60-watt light-bulb. Smart touch technology is fused into the crown so there's no need for buttons or a remote. Just a touch on the crown will turn your Kaelo on, or allow you to change the colour of the light

The Crown

- *Edge to edge seamless curve
- *Hand polished or brushed stainless steel
- *Eight premium colour finishes
- *Touch sensitive interface

Lighting

- *27 colours
- *select using touch
- *colour flow mode
- *option to use without light

Specification

- *integrated Kaelo :300 x 162mm

Signature Champagne Brass Gold Rose Gold Copper Gun Metal Charcoal Black



SECTION F

EXTRACTOR SECTION



Extractor range

Elica



CANOPY HOODS

Elica 52cm ERA C Canopy Hood

Item No: ERACIXA60

- Size: 60cm
- Colour: Stainless Steel
- Max Extr. 365m3/hr
- Noise Level db(A): 66



CANOPY HOODS

Elica 72cm ERA C Canopy Hood

Item No: ERACIXA80

- Size: 80cm
- 146W Total Absorption
- 120mm Duct Size
- D Energy Class
- Grease Aluminium Filter Included

F



INTEGRATED HOODS

Elica 60cm Integrata Integrated Hood Grey

Item No: ELICAINTEGRATED120

- 3S Slider Control
- 290 m3/h Maximum Airflow
- 118W Total Absorption
- 120mm Duct Size
- D Energy Class
- 67 db(a) Maximum Noise Level



CHIMNEY HOODS

Missy Stainless Steel

Item No: MISSYIXA60(60cm)/MISSYIXA90(90cm)

- Size: 60-90
- Finish: Stainless Steel
- Version: Duct out
- Controls: 3s mechanical push button
- Lighting: LED2x3W
- Max Airflow: 392m3/h
- Noise level: 68 db(a)
- Absorbtion: 96W
- Duct size: 150mm

Extractor range

Bauer


BAUER



INTEGRATED HOODS



Item No.: BR-1602

Total power: 69W

Width: 600mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X65W

Fan Speed: 3

Lamp type & power: 2X2W LED

Erp level: C

Filter: 2 pcs Aluminium filter, 5 layers

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 380

Noise level High Speed db: 52

CANOPY HOOD



Item No.: BR-1701

Total power: 330W

Width: 520mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X65W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: C

Filter: 1 pc Aluminium filter, 5 layers

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 380

Noise level High Speed db: 71



Item No.: BR-1702

Total power: 330W

Width: 750mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X65W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: C

Filter: 1 pc Aluminium filter, 5 layers

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 380

Noise level High Speed db: 71

Extractor range

Bauer



STAINLESS STEEL CHIMNEY HOODS



Item No.: BR-1801

Total power: 254W

Width: 600mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X250W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: C

Filter: 2 pcs Aluminium filter

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 550

Noise level High Speed db: 71

Also available in black



Item No.: BR-18012

Total power: 254W

Width: 900mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X250W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: A

Filter: 2 pcs Aluminium filter

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 650

Noise level High Speed db: 71

Also available in black

F

CURVED GLASS CHIMNEY HOODS (LCD Display - Soft Touch controls & Filter Indicator)



Item No.: BR-1901

Total power: 69W

Width: 600mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X65W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: C

Filter: 1 pc Aluminium filter, 5 layers

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 400

Noise level High Speed db: 64



Item No.: BR-1902

Total power: 69W

Width: 900mm

Voltage & Frequency: 220V, 50Hz

Motoe: 1X65W

Fan Speed: 3

Lamp type & power: 2X2W Led

Erp level: A

Filter: 2 pc Aluminium filter, 5 layers

Dimension of outlet: Round, Dia 150mm

Max Air Flow m3/hr: 400

Noise level High Speed db: 64

Extractor range

Bauer


BAUER



CB



Item No.: BR-2001

White colour

Width: 600mm

Extraction Rate - 700m³

LED Strip lights

LCD Digital display

(also indicates when Filter needs to be replaced)

Touch Screen Controls

Remote control



Item No.: BR-2002

Black colour

Width: 600mm

Extraction Rate - 700m³

LED Strip lights

LCD Digital display

(also indicates when Filter needs to be replaced)

Touch Screen Controls

Remote control



* Remote control

Extractor range

Vent



VENT PIPE

FLEXIBLE PIPE

- 6 Meter Flexible pipe
- White
- Available in 4 inch
5 Inch



VENT GRILL

SOLID VENT GRILL

- 160mm x 160mm
- White / Brown
- Available in 4 inch
5 Inch



VENT GRILL WITH FLAP

- 160mm x 160mm
- White / Brown
- Available in 4 inch
5 Inch

SECTION H

WORKTOP; TIMBER & LAQUERS AND PAINTS SECTION





Worktop

Mica post form



European Edge (6mm Radius)

Manufactured using Formica® Laminate, these worktops have been developed to provide a hygienic & water resistant surface

All incorporate a front edge seal, giving you value as well as performance in even the toughest kitchen environments.




Available sizes

Worktop	28mm	38mm
	3600x600	3600x600 4100x600
Bfast bar	28mm	38mm
	3600x670	3600x670
	3600x900	4100x900
Upstands	3600x100x18	
Splashback	3050x1220x12	

Stock range below - EE / LE indicates stock in the European edge & Leading edge

Blanco Etch - EE / LE
3.6m



Brown Granite Gloss- EE/LE
3.6m



Cream Artstone - EE
4.1m



Butterum Granite Crystal-EE
4.1m



Black Granite Crystal - EE
4.1m



Black Granite Gloss - EE
3.6m



White Kashmir - EE
4.1m



Mignight Dream - EE
4.1m



Worktop

Mica post form



Leading Edge

Leading edge worktops use top quality laminates combined with the worlds leading edge by Dolkin, resulting in a really stylish, practical and state of the art worktop.
The use of PU glue on all edges gives peace of mind, ensures maximum protection from water spills and moisture.



Tops can be made to order with any one of the Leading Edge range, available up to 4090mm long (depending on colour) & up to 1200mm wide. Worktops can be finished to any size within the above dimensions and also curved on 1 or all 4 corners.



Available sizes

Worktop	28mm	38mm
	3590x600	4090 / 3590 x 600
Bfast Bar	28mm	38mm
	3590 x 670	4090 / 3590 x 670
	3590 x 900	4090 / 3590 x 900

Upstands	3600 x 100 x 18
Splashback	3050 x 1220 x 12
(please note, some colours come in different lengths)	

H

Stock range below - EE / LE indicates stock in the European edge & Leading edge


Giallo etch - EE / LE
3.6m



Robson Oak - EE / LE
4.1m



Oriental Block - EE / LE
3.6m & 4.1m



Light Walnut - EE / LE
4.1m



Travertine Uni - EE / LE
4.1m



Wenge - EE / LE
4.1m



Arlington Oak - EE
4.1m



Other colours available to order, full worktop brochure available on request

Worktop

Solid Woktop Range

Solid Woktop Range



40mm solid tops

White Oak	4000 x 610	3000 x 900
Wild Oak	4100 x 650	3000 x 900
Beech	4000 x 640	3000 x 900
Bamboo	3050 x 640	

Others available on request

Worktop

Top form



Top plus



TOPPLUS FEATURES

- *Innovative design, superior quality, postformed worktop.
- *Laminate face
- *Melamine foil branded backing
- *Furniture grade chipboard core Single & double postformed edge
- *1.8m edging strip included

	40mm	40mm	28mm
TopPlus available sizes :	3600 x 600	4100 x 600	3600 x 600
(depending on colour)	3600 x 650	4100 x 650	3600 x 650
	3600 x 900	4100 x 900	3600 x 900

H



- *The ultimate square edged worktop.
- *40mm nominal thickness, furniture grade chipboard core.
- *Square edged profile.
- *Edged with polypropylene edging on all four sides to match surface & texture.
- *No exposed surface areas.
- *Customised individual pieces available.

	40mm	40mm	25mm
TopShape available sizes :	3600 x 650	4050 x 650	3600 x 900
(depending on colour)	3600 x 900	4050 x 900	4050 x 900

Stock Range

(showing stock size in both TP topplus & TS topshape all 40mm)

Black Star Astra



3600mm TP, 3050mm TS

Carrera marble



3600mm TP, 3050mm TS

Carrera Stone



4100mm TP, 4050mm TS

Darwin Marble



3600mm TP

Elegant Oak




4100mm TP

Graphite melange



3600mm TP

Silverback Marble



3600mm TP, 3050mm TS

Tivoli Stone



3600mm TP

White Star Astra



3600mm TP, 3050mm TS

Many other colours & sizes available, contact us for full brochure.

Bespoke custom worktops available to order in TopShape also



Timber products

Worktop fittings

CLASSIC PROFILE

CLASSIC END

- Available in 30mm
40mm



CLASSIC JOINER

- Black
- Aluminium
- Bronze



CLASSIC T-TAIL

- Classic style fits the Topplus & carella range of tops



QUADRA PROFILE

QUADRA END

- Available in 30mm
40mm



QUADRA JOINER

- Black
- Aluminium
- Bronze



QUADRA T-TAIL

- Quadra style fits the Duropal range



WORKTOP BOLTS

- 85mm x 150mm



WORKTOP KITCHEN LEGS

- 710mm x 870mm



WORKTOP JOINT SEAL - COLORFILL

- spanish walnut
- Sarum Grey
- Polar white
- Oak woodmix
- Natural Stone
- Aragon Oak
- Black Granite
- *Almond dust



CONTACT ADHESIVE

- 0.7 Kg
- 4.5 Kg



Timber products

Kitchen posts

REEDED



FLUTED



GUN BARRELL



COLONIAL



CARN



Wood :	Knotty Pine	Popular	White Oak	Ash
	Character Oak	Pippy Oak	Walnut	Beech
	Cherry	Mahogany	Maple	Red Oak
Sizes ailable: (stock)	900 x 65	1250 x 65	900 x 94	1250 x 94

Timber products

Cornice

TH CORNICE (TO MATCH CORNER BLOCK)



STANDARD CORNICE



HERITAGE CORNICE



PELMET

HERITAGE PELMET



STANDARD PELMET



Cornice & Pelmet come in 12 ft lengths.

Wood :	Knotty Pine	Popular	White Oak	Ash
	Character Oak	Pippy Oak	Walnut	Beech
	Cherry	Mahogany	Maple	Red Oak

CORNER BLOCK

Available in: White Oak popular



(used with TH Cornice)

QUADRANT CORNER MOULDING

Available in: White oak popular
Walnut
12 ft lengths



(used with TH Cornice)

CORBEL

Available in: White Oak popular

Scroll

Plain



Timber products

Stair components

We stock a full range of stair components in both Knotty Pine & White Oak.

Also available to order in Ash , Mahogany , Maple , Walnut , Red Oak , Teak .

Spindle



Doweled Newel



Double Dowel



Doweled Base



Handrail



Chamfered style available to Order

Spindles

41 x 41 x 900mm

41 x 41 x 1100mm

Full Newel

94 x 94 x 1500mm

Doweled Newel

94 x 94 x 1030mm

Double doweled newel

94 x 94 x 1030mm

Handrail

4.8m

Baserail & Infills

4.8m

Newel top



Handrail Brackets



Available in
Aluminium
Brass
Grey

TGV Sheeting



2X1



TGV & 2X1 available in:

Ash

Mahogany

Walnut

Beech

Poplar

White oak

Cherry

Maple



THE NEW TRADING NAME FOR BECKER / GRANYTE



THINNERS

NT873	Retarder Thinners	Strong Cellulose Retarder, Anti-bloom Thinner
NT001	Dual Thinners	High Quality cellulose thinner for PC material
NT019	Butyl Acetate Solvent	Compatible for thinning A/C and P/C material
GUNWASH	Gunwash thinners	
PREMTHINNERS	Medium strenght thinners	

BASECOAT

NL2501	High Build Basecoat
NL2503	MDF Edge-Sealer

PRE-CAT LAQUER

NM25020010	10% Matt
NM25020025	25% Soft-Sheen
NM25020040	40% Satin
NM25020050	50% Semi-Gloss

AC LAQUER

DM21320010	10% Matt
DM21320025	25% Soft -Sheen
DM21320040	40% Satin
DM21320050	50% Semi-Gloss
Hardener	
DV309	Hardener

PAINTS

PC

ND20129001	White Primer PC
------------	-----------------

Finishes

NG250290012	PC Enamel semi-matt White
NG250295122	PC Enamel semi-matt Magnolia
NG250295142	PC Enamel semi-matt Biscuit
NG250295182	PC Enamel semi-matt Stone White
NG250295202	PC Enamel semi-matt Cream

AC

DF20119001174	AC White Primer
---------------	-----------------

Finishes

DH200290012	AC Semi Matt White
DH200290012	AC Satin White
DH200290012	AC Gloss White
10-B-15	AC Semi Matt Stone White

Hardener

DV309	Hardener
-------	----------

SECTION J

LED SECTION

POP-UP SOCKET & WASTE DISPOSAL UNITS

sycamoreLED.com

soft
START

CE

3
YEAR
WARRANTY



LED Light

Cabinet light



SY7964 Recessed/surface light



- >Natural white >65 LM/W
- >Brushed nickel finish >IP 20
- >Diffused lense >2.3w
- >Recessed or surface mounting

SY7980 Tri light



- >Natural white >65 LM/W
- >Brushed nickel finish >IP 20
- >Diffused lense >2.3w
- >surface mounting

SY8935 Super slim light with magnetic fixing



This surface mounted fitting has a high quality body, with a super slim profile. The fitting features a unique magnetic fixing method for ease of fitting. It also features a diffused cover, so there are no visible LED points in the fitting. The LED comes in natural white, making it suitable for any type of kitchen design, whether traditional or contemporary. A brushed nickel magnetic bezel is included

- >Natural white >57 LM/W
- >Brushed nickel finish >IP 20
- >Diffused lense >2w
- >surface mounting (Magnetic)

(Compatible drivers for SY8935 & SY7786 - 8W SY9980B runs 1 - 3 lights, 15w SY9739B/MF runs 1 - 6)

SY8935 Super slim light with magnetic fixing



This Infra Red slim-line LED light has an integrated movement sensor that activates the LED light when a door is opened. It also automatically shuts off if no movement is detected within 60 seconds. Range of detection 1 metre, 360 degrees. Ideal for inside kitchen cabinets and standard wardrobes.

- >Natural white >54 LM/W
- >Brushed nickel finish >IP 20
- >Diffused lense >3w
- >surface mounting >Infra red sensor

LED Light

Cabinet light

SY7922 Solaris Slim Square Light



SY7923 Solaris Slim Square Light




These surface mounted designer fittings have a slim profile, in a sleek aluminium finish. Available in modern designs, these fittings would look perfect in a contemporary setting. The natural white LED is suitable for any type of kitchen design. The Solaris also has a 120 degree beam angle, which fills cabinet or work surfaces and eliminates dark spots. It is available in a slim square or recti design.

>5w
>Natural white
>73 LM/W

(Compatible drivers for SY7922 & SY7923 - 8W SY9980B runs 1 light , 20w sy7350 a/mf runs 1 - 3 lights)

240V LED link light



The Sirius LED link light is a perfect alternative to fluorescent link lights. The link lights come complete with a diffused cover and have no visible LED points which provides a wide flood of light. The fittings are individually switched and fully linkable for ease of use, and can be butt jointed to make longer lengths if desired.

SY7690/A	NW or WW	3w	222mm
SY7691/A	NW or WW	4w	343mm
SY7692/A	NW or WW	8.4w	525mm
SY9556 1 m connecting cable			

SY7693/A	NW or WW	10w	640mm
SY7694/A	NW or WW	12w	904mm
SY7695/A	NW or WW	18w	1204mm

LED Light

Cabinet light

Strip lighting



IP65 Flexible Strip Light



>3.6w per meter
>IP65 (waterproof)

>35 LED per meter
>cut marks every 85mm

SY7759	1 m	NW (natural white)	CW (cool white)	WM (warm white)
SY7760	2 m	NW	CW	WM
SY7758A	2 m	Distributor Cable		

*Compatible drivers - 8w SY9980B runs 2m , 15w SY9739B/MF runs 4m , 20w SY7350B runs 5m

J

IP65 High Output Flexible Strip Light

>9.6w per meter
>IP65 (waterproof)
>cut marks every 25mm
>120 LED per meter

SY8916 5m	Warm white
SY8917 5m	Natural White
SY8918 5m	Cool White

IP20 Uncoated Flexible Strip Light

>3.6w per meter
>IP20
>uncoated
>60 LED per meter
>cut marks every 50mm


SY8932	5m	NW (natural wh)	CW (cool wh)	WM (warm white)
--------	----	--------------------	-----------------	--------------------

LED Light

Cabinet light

Plinth lighting

Round Plinth Light Kit



This new plinth light features a diffused cover so the LED points are not visible.
Comes as a 4 light pack which includes power convertor.

>Natural white

SY7690/A

NW or WW

>1 W

>IP44

Drawer lighting

Infra red auto Drawer light



SY8921	400mm	2.52w
SY8922	500mm	3.2w
SY8923	600mm	3.9w
SY8924	800mm	5.32w
SY8925	900mm	6.02w
SY8926	1000mm	6.72w

This new plinth light features a diffused cover so the LED points are not visible.
Comes as a 4 light pack which includes power convertor.

Drawer light is ideal for illuminating pan drawers. The drawer is suitable for 15 to 22mm carcass units.

*(Compatible drivers - 8w SY9980B , 15w SY9739B/MF)

LED Light

Cabinet light

Infra red sensor

SY8928 Single door sensor



SY8929 Double door sensor



The new soft start Sirius infra red door sensor switch is designed to work with single cabinet or cupboard door, by automatically turning a light on or off when a door is opened or closed. It is compatible with all the 12Vdc LED lighting ranges, and offers a simple plug & play connection system. The unit includes connection for one light.

However for more than one light a 12 way distribution block is available to purchase separately. Features a simple self adhesive fixing method.

A double sensor is also available, which is designed to work with a double cabinet or cupboard door, by automatically turning a light on and off when either door is opened.

12 way distribution block

SY7627




LED Light

Cabinet light

Battery Lighting

SY8927 NOVA Lithium Battery Light with sensor



This new Milano lithium battery operated light is rechargeable using the integrated USB port and also includes the USB charging cable. The battery lights, which has a diffused cover, and is available in natural white LED, also features an integrated PIR sensor which enables the unit to stay lit when movement is detected within a 500mm to 3m range, or when a cabinet door is opened, If in auto mode, the light will turn off if no movement is detected after 12 seconds.

There is also a switch to turn the unit to always on, or off manually if required.

The light takes 2 hours from no charge to full charge, Installation is simple, via the self adhesive magnetic plate. The fitting is the attached to the magnetic plate, and can be easily removed for charging purposes

> 3 months lighting tim(based on 5 min use per day)

> Natuarl white

> Surface fitting (magnetic)

SY7628 NOVA Linear battery light with sensor



This lithium battery operated light is rechargeable using the integrated USB port, and also includes the USB charging cable. The battery light, which is available in natural white LED, also features an integrated PIR sensor, which enables the unit to stay lit when movement is detected within a 1 meter range.

There is also an override switch to turn off the unit manually if required.

The fitting has an innovative magnetic fixing method, which allows the unit to be removed for charging purposes, and can then be easily re-located on the supplied brackets.

> 3 months lighting tim(based on 5 min use per day)

> Natuarl white

> Surface fitting (magnetic)

SY7628	350mm
SY7628A460	460mm

Pop-up socket & waste disposal units



Stainless Steel

Chrome	POPSOCKETCR
Black	POPSOCKETBLK
Stainless Steel	POPSOCKETSS

- CE approved product
- 3 no. mains sockets & 2 no. USB Ports
- Comes with 1.5m flex
- Lid is available in 3 classy finishes



WASTE DISPOSAL UNITS



- Eco3 is the Ideal domestic waste disposer unit.
- It has ultra quiet running plus an air switch.



"Eco-friendly, Eco-fast, EcoSink"

Horse Power	1/2 HP
Motor Speed	5500 rmp
Warranty	5 years
Sound Shell	Ultra Quiet

Also available: ECO1 - 1/2HP; ECO2 - 1/2HP; ECO4 - 3/4HP
ECO5 - 1HP



- Continuous Feed
- 3/4 Horsepower
- High Torque Dual Magnetic motor
- Air switch included



Motor Speed	RPM: 2700
-------------	-----------

SECTION K

GENERAL HARDWARE SECTION

Fixing; Adhesives; Hinge; Lift



General hardware

Fixings



SCREWS

AVAILABLE SIZES														
3.5 x	16	20	25	30	35	40	45	50						
4 x	16	20	25	30	35	40	45	50	60	70	80			
4.5 x			25	30	35	40	45	50	60	70	80			
5 x						40	45	50	60	70	80	90		
6 x								50	60	70	80	90	100	120

Pozi Bits No. 1 - 2 - 3 - 4
10 per pack



RAWLPLUGS

Brown
Red
1000 per box



STICK ON CAPS 1000 per pack
White, Cream, Maple, LT Oak, Med Oak,
Walnut, Beech, Cherry, Farmhouse pine, Ivory



SCREW CAP COVER



100 per pack
Beige, Brown, White

K

CONCRETE FRAME SCREW

100 per pack



AVAILABLE SIZES	
7.5 X	62
7.5 X	72
7.5 X	82
7.5 X	92
7.5 x	102
7.5 x	112
7.5 x	122
7.5 x	152
7.5 x	182

KREG SCREW

1000 per box
4 x 30



General hardware

Fixings

CAVITY WALL DRIVA FIXING

100 per box



EXPRESS NAILS

100 per box



HAMMER IN FIXINGS

100 per box



6 X	30
6 X	40
6 X	50
6 X	60
6 x	80
8 x	60
8 x	80
8 x	100
8 x	120
10 x	80
10 x	100
10 x	115
10 x	120

STEEL NAILS

100 per box



2.5 X	25
2.5 X	30
2.5 X	40
2.5 X	50
3 x	40
3 x	50
3 x	60
3 x	65
3.5 x	25
3.5 x	30
3.5 x	40
3.5 x	50
3.5 x	60
3.5 x	65

WASHERED STEEL NAIL

100 per box



3.7 x	25
3.7 x	30
3.7 x	40
3.7 x	50
3.7 x	60
3.7 x	75

BRASS SCREW CUP

1000 per box



Size - No.8

CAM & DOWEL

100 per box



15mm Cam
18mm Cam
24mm Dowel pin
34mm Dowel pin

TIMBER FLUTED DOWEL

1000 per box



6 x	30
6 x	40
8 x	30
8 x	40
8 x	50
10 x	40
10 x	50

General hardware

Fixings

3/4" ANGLE BRACKET

1000 per box



CORNER BRACE

50 per box



1 1/2"

2"

2 1/2"

3"

MODESTY BLOCK

100 per box

White

Beige

Brown



CORNER GUSSETT

50 per box

White



CORNER CONNECTOR WITH COVER

100 per box

White

Beige

Brown



NAIL IN SHELF STUD

1000 per box

White

Beige

Brown



K

PUSH IN SHELF STUDS (100 per box)

Push in Nickel stud
282.24.710



Push in clear plastic stud
283.63.510



Push in Glass Support
EA14



Push in Glass Support
BN Shelf support



Push in White Stud
282.30.400

282.63.411
Beige



Brass Shelf Stud and socket



General hardware

Adhesives

WE STOCK A WIDE RANGE OF ADHESIVES FOR MANY DIFFERENT APPLICATIONS INCLUDING , GENERAL ASSEMBLY, ETC.

D3 GENERAL ASSEMBLY

500ml



10Kg



28Kg



CONTACT ADHESIVE

0.7 Kg

4.5 Kg



GLUE SAUSAGES/CARTRIDGES & PELLETS



We have many different variants of cartridges and pellets for edge banding machines depending on the type of edge bander been used. Just contact us with the make and model of edge bander you have.

General hardware

Adhesives

SILICONE

Clear
White
Black



DECORATORS
CAULK

White
Magnolia



GRIPFILL



WORKS

Clear
White
Black
Grey
Oak



EVERBUILD WATERPROOF PUR

5MIN TUBE



5MIN BOTTLE



30MIN BOTTLE



EXPANDING
FOAM



K

MITRE BOND



SMART TACK
750mg



D4 ADHESIVE
750mg



CLEANING WIPES



TEC_7_CLEANER



STIXALL



TEC 7 SEALANT



General hardware

Drill bits & Blades

SDS Plus Hammer Bits



5 -16mm

Professional Masonry Bits



5 - 10mm

HSS Ground jobber drill



3 - 10mm

Flat wood bits



12 - 32mm

Bi-metal Holesaw Variable bit



20 - 79mm

Multi-tool Blade Mixed set



8 pack

Multi-tool Blade Mixed set



4 pack

General hardware

Hinge

LHS ARE NOW THE OFFICIAL AGENTS FOR AMEROCK HINGES FOR IRELAND & THE UK.

7139 OVERLAY, SELF CLOSING, VARIABLE HINGE



7139 14	Nickel
7139 BB	Burnished brass
7139 AE	Antique English

3180 PARTIAL WRAP, INSET, BALL TIPPED



3180TBAE	Antique english
3180TBWI	Wrought Iron
3180TBG9	Sterling Silver

3175 FULL WRAP, INSET, MINARET TIP



3175TM14	Nickel
3175TMAE	Antique english
3175TMBB	Burnished brass

NICKEL MAGNETIC CATCH



K

General hardware

Hinge & Lifts

BUTT HINGE



1"

1 1/2"

2"

2 1/2"

3"

Brass
Steel

BALL BEARING BUTT HINGE



4"

Brass
Bronze
Black
Steel

PIE CUT HINGE



PIANO HINGE



Brass
Chrome

EASY ON HINGE



General hardware

Hinge & Lifts

MICROWAVE HINGE



SENSIO

MICRO LIFT

Supplied as full set of brackets
& adjustable centre bar. 600 - 900mm

2 Integrated gas pistons

Door HT450 - 700mm

Min Depth 250mm

NEWMICROWAVE2583

BI-FOLD HINGE



SENSIO

BI-FOLD DOOR LIFT MECHANISM

Set includes 1RH & 1LH mechanism

2 base fixing plate

2 flap supports & cover plates

Min Depth 138mm

BIFOLDHHINGE101

GAS LIFT

Used as a pair.



GASLIFT100

TENSION SPRING HINGE

Used as a pair.



TENSIONHINGE2645

K

ADJUSTABLE LIFT UP STAY 28MM



8"

LIFTUPSTAY2302

CORNER BAR HINGE



Bronze

CORNERBARBR

General hardware

Accessories

CASTORS



2" Grey rubber Fixed
2" Grey rubber swivel
2" Grey rubber brake
2" Black with plate (4 pack)

3" Grey rubber fixed
3" Grey rubber lockable
3" Grey rubber swivel

4" Grey rubber lockable
4" Grey rubber fixed
4" Grey rubber swivel
4" Grey rubber brake

CABLE OUTLET



Available in
2" / 3" Brown / Black

HAT & COAT HOOK

Modern



Std



RAWLPLUGS



Small - Yellow
Med - Red
Large - Brown
XL - Blue

PRE GLUED EDGING

Melamine



Real Wood



PVC



Huge range of colours in stock - Contact us for details

General hardware

Garden & Cleaning Products

DRIVE CLEAR (MOSS KILL)



A strong bactericide and fungicide solution for the removal of Bacterial spores, Moss, Algae spores and other organic growths from tarmac, paths, stone-work, slates etc.

Biodegradable, so, children and pets need not be excluded from treated areas (once dry)

10:1 dilution covers huge area 200sqm+

1 part Drive clear to 10 parts water

Available in

1 Litre 2 litre 5 litre 20 Litre

PATIO & DASH CLEANER



FORGET POWERWASHING, patio & dash cleaner is much more effective.

Sodium Hypochlorite based liquid with incredible cleaning power

Just spray on and wash off, hassle free.

Excellent cleaning product for footpaths, Kerbs, outdoor tiles & Headstones.

4:1 dilution

1 part patio & dash to 4 parts water

Available in

5 litre 20 litre

Drain Opener



1 L, 2 L, 5 L

Granite Surface Cleaner



1 L

Cement Remover



1 L, 2 L, 5 L

K

Anti-Bac Soap



500ml 5 L

Sterilizing Fluid



5 L

Pine Disinfectant



5 L

Builders Wipes



pack of 100



Soft-close

3D Adjustment

Clip-on

105 Degree Hinge



- Installation: Clip-on
- Opening degree: 105°
- Cup diameter: 35mm
- Cup depth: 11.5mm
- Right/left adj.: ± 2.5 mm
- Depth adj.: +3mm/-1mm
- Cup dimensions: 48mm
- Hinge material: Steel

VSCOB105S	Soft closing	Overlay	Screw Fix
VSCOB105N	Non soft-closing	Overlay	Screwfix
VEUOB105S	Soft closing	Overlay	Euro Screw bolt
VSCIB105S	Soft closing	Inset	Screw fix

165 Degree Hinge



- Installation: Clip-on
- Opening degree: 165°
- Cup diameter: 35mm
- Cup depth: 11.5mm
- Right/left adj.: ± 2.5 mm
- Depth adj.: +3mm/-1mm
- Cup dimensions: 48mm
- Hinge material: Steel

VSCOB165S	Soft closing	Overlay	Screw Fix
VSCOB165N	Non soft-closing	Overlay	Screwfix
VSCIB165S	Soft closing	Inset	Screw fix

Clip on Adjustable Plate



- Suitable for all hinges in Cemux range
- Cam Adjustable
- H=0

VPASC0A	Screw fix
VPAEU0A	Euro screw bolt

General hardware
Concealed Hinge Range



Blum 110 degree Soft Close Clip on Hinge



BLUMSCHINGE110	110 Soft close Clip on hinge
----------------	------------------------------

Blum 110 degree Clip on Hinge



BLUM2628	110 Clip On Hinge (non soft close)
----------	------------------------------------

Blum 170 degree Clip on Hinge



BLUM2627	170 Clip on Hinge (non sc)
----------	----------------------------

Blum Adjustable Clip on plate



BLUM2629	BLUM	Plate Clip Adjustable 3mm
BLUM2629A	BLUM	Plate Clip Adjustable 6mm

Blum Soft close mechanism (for use with the clip on & slide on hinge)



BLUMSOFTCLOSE	Soft close mechanism
---------------	----------------------

SECTION L

GLIDE WARDROBE DOORS SECTION

Sliding door; Wardrobe;





We are proud to introduce the Glide range of Sliding wardrobe doors.

L

GLIDE RANGE HIGHLIGHTS

- Patented European manufactured soft close system
- Highest quality aluminium frame, door and track
- Made to measure doors, up to 2440 mm h & 1250 mm w
- Available in single panel or multi panel designs
- Frame design means mirror and glass sit flush in door with no need for plastic gasket or silicone line
- Frame design also allows for double mirror and glass
- To be used back to back for room dividers etc.
- Frame designed to cater for 18 mm board giving a far stronger, more durable frame and door
- 18 mm board allows for huge choice of board styles
- Running system tested up to 80Kg
- 10 year guarantee on Doors and Track system
- 1 week lead time

Wardrobe doors section

Sliding door

With the glide sliding door range incorporating a huge number of décors in 4 frame colour options & multiple door panel configurations, the possibilities are endless.

Ask for more details & samples of available décors.

FRAME COLOURS



MATT SILVER



POLISHED CHROME



CHAMPAGNE



BRUSHED BLACK



MATT IRON GREY




POLISHED IRON GREY


18mm Panel options

Range A1

Stock Colours (All Finsa Superpan)



White




Ivory




Natural Grey



Black



Cambrian
(Sonoma) Oak



Lissa Oak



Cambridge
Walnut



Walnut Supreme

Range A2

Available to order (short lead times)



Egger Cashmere



Egger Dust Grey



Egger Dakar



Egger Graphite



Egger Mussel



Egger Stone Grey

Range A3 woodgrain

Available to order (short lead times)



Woodgrain effect -

Ivory
White

Cashmere
Dakar

Mussel
Graphite

Dust Grey
Stone Grey

Light Grey

Wardrobe doors section

Sliding door




All our glass is Lacobel Cat 1 safety backed. These are some of the options available.



GLASS



LIGHT BEIGE 1015



PEARL WHITE 1013



SOFT WHITE 9010




PURE WHITE 9003



LIGHT BROWN 1236



DARK BROWN 8017



GREY CLASSIC 7035



GREY METAL 9006



BRIGHT RED 1586



DARK RED 3004




CLASSIC BLACK 9005




MIRROR

GLOSS



WHITE GLOSS



IVORY GLOSS



LIGHT GREY GLOSS



BLACK GLOSS

L

Wardrobe doors section

Wardrobe hardware

PULL DOWN WARDROBE RAIL

- Provides easy access to inaccessible space
- Quick & easy installation
- Width adjustable
- Max load capacity 12Kg
- Tested to 50,000 cycles
- Soft closing return mechanism

450 - 600mm	WARDROBELIFTC2241
600 - 830mm	WARDROBELIFTA2239
830 - 1150mm	WARDROBELIFTB2240



PULL OUT STORAGE BASKET



400 x 100mm
VPVEG4002240
400 x 200mm
VPVEG4002241
500 x 100mm
VPVEG5002244
500 x 200mm
VPVEG5002242
600 x 100mm
VPVEG6002245
600 x 200mm
VPVEG6002243

- Full extension runners
- Chrome wire basket

OVAL WRADROBE RAIL



3m length	
	OVALRAIL985
Ends	OVALEND989
Centres	OVALCENTRES990

ROUND BAR



2.5m length			
3/4" bar	34ROUNDRAIL986	1" bar	1ROUNDRAIL987
3/4" end	34RODENDS991	1" end	1RODENDS994
3/4"centre	34RODCENTRES992	1" centre	1RODCENTRES992

CURVED OVAL RAIL



CURVEDOVALRAIL

Wardrobe doors section

CEMUX Wardrobe hardware

Clothes lifter - soft close



- Colour: Brown
- Material: Aluminum
- Cabinet width: 770-1150mm; 620-830mm
- Installed internal cabinet height: ≥ 1100 mm
- Installed internal cabinet depth: ≥ 470 mm
- Package: 1 set

Order information

LW	Product dimensions	Description	Item No.
770-1150	734-1114*333*945mm	Brown colour	BW-G02A-1
620-830	584-794*333*945mm	Brown colour	BW-G02B-1

Pull out clother rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width: ≥ 364 mm
- Installed internal cabinet height: ≥ 1100 mm
- Installed internal cabinet depth: ≥ 320 mm
- Package: 1 set

Order information

LW	Product dimensions	Description	Item No.
364	88*307*125mm	Brown colour	BW-G1403B-1

L

Wardrobe doors section

CEMUX Wardrobe hardware

V type top-mount trouser rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width: ≥ 364 mm
- Installed internal cabinet height: ≥ 700 mm
- Installed internal cabinet depth: ≥ 500 mm
- Package: 1 set

Order information

LW	Product dimensions	Description	Item No.
364	340*460*155mm	Brown colour	BW-G1402-1

Dual top-mount trouser rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width: ≥ 664 mm
- Installed internal cabinet height: ≥ 700 mm
- Installed internal cabinet depth: ≥ 500 mm
- Package: 1 set

Order information

LW	Product dimensions	Description	Item No.
664	630*460*130mm	Brown colour	BW-G1401-1

Wardrobe doors section

CEMUX Wardrobe hardware

Tie rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width: ≥ 164 mm
- Installed internal cabinet height: ≥ 500 mm
- Installed internal cabinet depth: ≥ 500 mm
- Package: 1 set

Order information

LW	Product dimensions	Description	Item No.
164	160*460*100mm	Brown colour	BW-G1305B-1

Side pull-out shoe rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width: ≥ 364 mm
- Installed internal cabinet height: ≥ 850 mm
- Installed internal cabinet depth: ≥ 475 mm
- Package: 1 set

Order information

LW	Product dimensions	Description	Item No.
364	348*465*765mm	Brown colour	BW-G1303-1

L

Wardrobe doors section

CEMUX Wardrobe hardware

Rotating shoe rack



- Colour: Brown
- Material: Aluminum
- Internal cabinet width: ≥ 764 mm
- Installed internal cabinet height: 1910-2110 mm; 1360-1560mm
- Installed internal cabinet depth: ≥ 382 mm
- Package: 1 set
Frame/carton
Shoe rack/carton
Slide/carton

Order information

LW	Product dimensions	Description	Item No.
764	700*356*1910-2110mm	Brown colour, 12 layers	BW-G503A-1
764	700*356*1360-1560mm	Brown colour, 8 layers	BW-G503B-1

Pull out trouser rack



- Colour: Brown
- Material: Aluminum
- Installed internal cabinet height: ≥ 225 mm
- Installed internal cabinet depth: ≥ 500 mm
- Package: 1 set

Order information

LW	Product dimensions	Description	Item No.
864-964	864*466*75mm	Brown colour	BW-G1101A-1
764-864	764*466*75mm	Brown colour	BW-G1101B-1
664-764	664*466*75mm	Brown colour	BW-G1101C-1
564-664	564*466*75mm	Brown colour	BW-G1101D-1

Wardrobe doors section

CEMUX Wardrobe hardware

Pull out jewellery drawer



- Colour: Brown
- Material: Aluminum
- Installed internal cabinet height: ≥ 235 mm
- Installed internal cabinet depth: ≥ 500 mm
- Package: 1 set

Order information

LW	Product dimensions	Description	Item No.
864-964	864*466*85mm	Brown colour	BW-G1102A-1
764-864	764*466*85mm	Brown colour	BW-G1102B-1
664-764	664*466*85mm	Brown colour	BW-G1102C-1
564-664	564*466*85mm	Brown colour	BW-G1102D-1

Pull out rattan basket



- Colour: Brown
- Material: Aluminum
- Installed internal cabinet height: ≥ 308 mm
- Installed internal cabinet depth: ≥ 500 mm
- Package: 1 set

L

Order information

LW	Product dimensions	Description	Item No.
864-964	864*466*200mm	Brown colour	BW-G1103A-1
764-864	764*466*200mm	Brown colour	BW-G1103B-1
664-764	664*466*200mm	Brown colour	BW-G1103C-1
564-664	564*466*200mm	Brown colour	BW-G1103D-1

Wardrobe doors section

CEMUX Wardrobe hardware

Pull out basket



- Colour: Brown
- Material: Aluminum
- Installed internal cabinet height: ≥ 308 mm
- Installed internal cabinet depth: ≥ 500 mm
- Package: 1 set

Order information

LW	Product dimensions	Description	Item No.
864-964	864*466*158mm	Brown colour	BW-G1104A-1
764-864	764*466*158mm	Brown colour	BW-G1104B-1
664-764	664*466*158mm	Brown colour	BW-G1104C-1
564-664	564*466*158mm	Brown colour	BW-G1104D-1

Pull out shoe rack



- Colour: Brown
- Material: Aluminum
- Installed internal cabinet height: ≥ 305 mm
- Installed internal cabinet depth: ≥ 500 mm
- Package: 1 set

Order information

LW	Product dimensions	Description	Item No.
864-964	864*466*155mm	Brown colour	BW-G1106A-1
764-864	764*466*155mm	Brown colour	BW-G1106B-1
664-764	664*466*155mm	Brown colour	BW-G1106C-1
564-664	564*466*155mm	Brown colour	BW-G1106D-1

SECTION M

APPLIANCES

Oven; Hobs; Microwave; Dishwasher; Fridge Freezer



Appliances

Oven

Single Oven

Single fan oven & grill
Stainless Steel SO206IX



Single fan oven & grill
Black SO206BL



* please contact us for full range & specs of single ovens

Double Oven

Built in Catalytic Double oven
Stainless Steel DOUC415IX



Built UNDER Catalytic Double oven
Stainless Steel COUC415IX



Appliances

Hob; Microwave; Fridge Freezer

Hob

Ceramic

HC604FL 60CM

HCT62FL 60CM

HCT781FL 60CM

Induction Hob

HCI781FL 78cm



* also available in 60cm

Microwave

NM825BIX Built in Microwave & grill



Dishwasher

DF62 Integrated Dishwasher



* Contact us for full range of integrated and free standing dishwashers

Fridge Freezer

RFF333DIX+ Free Standing Fridge freezer



RIFF70302NMA+Integrated 70:30 Fridge Freezer



* contact us for full range of free standing & integrated fridges, freezers & fridge freezers

LHS Catalogue

Note

LHS Catalogue

Note

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



LHS

Light Hardware Supplies Ltd

Light Hardware Supplies Ltd.

Kilkeary, Nenagh, Co.Tipperary

Tel	00353 67 31471
Fax	00353 67 34448
web	www.lighthardwaresupplies.ie